
INDESIT company



Model type:

BD293G

BD293GS

Commercial code:

F027037

F027270

General notes

Technical Documentation guidelines

You can find herewith some generic information to simplify cunsulting of technical documentation:

1. Models of same range share the same exploded views, which report the richest set of spare parts:generally, a model does not necessarly have a related spare part for each particular shown on exploded views.

2. Some spare parts can not be represented directly on the exploded views (instruction booklets, specific kit, etc...). You can find those codes in the spare parts list with the same reference of particular where spares are installed or with references 099, 999. Instruction booklets, once managed, appear with 000 reference.

3. On the higher right site of each exploded view there is a serial number which indicates the beginning of the production of certain range:some models might have more than an exploded view for a given category, each distinguished by a different serial no.and linked to another spare parts list, In this case, serial no. is required to supply the right spare part code. Exploded view to be considered is the one with a more recent serial no. but previous than the one of the model that needs assistance.

4.Exploded views might require further updates even after publishing. Addition of new spares will go on following the already existing numeration references. Revision number of an exploded view is shown into last four digits of serial number into upper right hand corner.

5.The spare parts list associated to an exploded view shows related codes of spares managed for a certain model; for each spare part other informations are available:


REF: reference no of spare into a table; SUBSTITUTE: list of spare(s) which can replace a code but that keeps same functional characteristics

INDUSTRIAL CODE: list of variables of a model (shown into model label) where such spare is used; NOTICE: code of information(s) to refer to complete technical intervention, track for changes or to find correct spare part code.

6. Some notices, into a same section are generic therefore cannot be directly linked to a spare part. In order to assist a model in the best way as possible, it is helpful to pay attention to all notices and constantly verify documentation updates

7.Technical documentation cover shows model name and its commercial codes

52120f0 Exploded views



52120f0 Spare parts list


Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
000	C00041687				instruction booklet kdf290-knf280		
000	C00089446				user instruction book bd293g		
001	C00028960				upper front profile (36+11 mm) -		
002	C00028964				cover (upper hinge) - white		
003	C00028962				hinge pin (m8x8-37)		
004	C00046897				white plastic upper hinge m8		
005	C00028958				plastic washer (12x6,4x14mm) -		
006	C00029547				insulation freezer back h=337		
007	C00029578				panel freezer back (h=345) - white		
008	C00029594				freezer base (upper tray 442x276)		
009	C00029583				freezer base tray (443x336) -		
010	C00022991				side fixing "t" plate - white		
011	C00022995				central hinge base - white		
012	C00049452				white upper central hinge depth		
013	C00049451				white lower central hinge depth		
014	C00026830				blanking plate - white		
015	C00090160				centre front cover white global air		
016	C00022997				end (hinge base) - white		
017	C00087801			1 x C00143478	glass shelf (wxh) 470x303x14-		
018	C00081984				bottle rack side mounting		
019	C00043743				upper cover (meat tray)w482 -		
020	C00043742				front visor (meat tray) - clear		
021	C00043741				lower meat tray (w445x279) -		
022	C00025230				slide foot (lower meat tray) - white		
023	C00086594			1 x C00280886	salad bin cover (466x188x4mm)		
024	C00086378			1 x C00144431	trim 465x48x12mm (crisper		
025	C00082949			1 x C00144901	crisper kit (wxhxd 460x184x206) -	n1025160	
026	C00086596		10123...		salad bin front (460x155mm) clear	n1025160 n3010j01	
026	C00283264	10124...			salad bin front (460x155mm)	n3010j01	
027	C00046893			1 x C00194606	hinge lower lh/rh - white		
028	C00032099				hinge pin - top/lower m8x26 zncr		
029	C00040939				lower front strip (539x12mm) -		
030	C00028426				foot 12 mm - fixed		
031	C00021590			1 x C00282185	side filler strip-pvc adhesive		

52120f0 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
032	C00022198			1 x C00045965	defrost hole cleaner (20x30mm)		
033	C00026615				thermostat sensor clip - white		
099	C00086715				kit x built-in refrigerator new	n1030084	
099	C00113967				kit x built-in refrigerator 10/2004		

52121i0 Exploded views


Matr. 20418.0001



52121i0 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
001	C00074809				door seal - freezer 530x397		
002	C00022154				plastic washer (12x6,1x3mm) -		
002	C00028928				plastic washer (12x6,4x2 mm) -		
002	C00028951				plastic washer (12x6,1x6mm) -		
003	C00046890				square hinge bush rh (25x25) -		
003	C00046891				square hinge bush lh (25x25) -		
004	C00086578				freezer door assy (534x405x23)-		
005	C00024535				small cover handle - white		
006	C00024537				small door rail and support handle		
007	C00024536				small handle - white		
009	C00036980			1 x C00142512	seal - fridge door (530x1133		
010	C00086577				fridge door assy(534x1145x23)-	n1025120	
011	C00021258			1 x C00113698	slide door rail short(wood door	n1030084	
				1 x C00113700			
012	C00021259			1 x C00113698	slide door rail long(wood door	n1030084	
				1 x C00113700			
013	C00086592				ice cubes conteiner (ariston inc)		
014	C00086391			1 x C00089086	hinged box cover (w.443) clear	n1025120	
014	C00089086		10123...	1 x C00094621	hinged box cover (w.443) clear		
014	C00283224	10124...			rail for door shelf - crystal - 410	n3010j01	
015	C00086393			1 x C00089093	spacer shelf (443x70x104mm)		
015	C00089093				door shelf 443x70x104mm white		
016	C00081953				eggs tray (6) (152x95x20) cristal		
017	C00086419		01219...	1 x C00283448	butter box lid (180x92) blue		
017	C00283448	01220...			butter box lid (180x92) transp.		
018	C00086418		01219...	1 x C00283447	butter box (152x50x93mm) blue		
018	C00283447	01220...			butter box (152x50x93mm)		
019	C00088517			1 x C00089089	chromed colour central	n1025120	
019	C00089089				central door shelf rail		
020	C00087262			1 x C00090982	door shelf set		
021	C00088518			1 x C00089090	chromed bottle shelf clear	n1025120	
021	C00089090				bottle door shelf rail		

5212260 Exploded views



5212260 Spare parts list


Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
001	C00048505				lamp cover (giugiaro)		
002	C00006522				lamp 15w (e14)		
003	C00066295				lamp-socket (vossloh) 250v e14		
004	C00007225				plastic expansion rivet		
005	C00009888				cable clamp		
006	C00086601				thermostat knob (centre post) -		
007	C00022048				blanking plug (10,6mm) - white		
008	C00066297			1 x C00142464	thermostat box b.27 giugiaro		
009	C00002516				nut - thermostat(center-post)		
010	C00046710				thermostat - fridge (a130317)		
011	C00066294			1 x C00075585	lamp switch - n/c (eltek))		
012	C00066296				push-button light w.110 white		
014	C00054911				bracket - fan motor turbocooling		
015	C00025215				rubber mounting for fan motor		
016	C00054908				fan-motor 220-240/50-60 mes		
017	C00089736				cover - fan motor		
018	C00089511				set turbocooling ariston		
019	C00026681				pipes grommet (de.24 x 21 mm)		
020	C00029633				freezer evaporator (b=303x153)		
021	C00041042				seal (8x3,6x1,5) -thermostat		
022	C00043107				thermostat sensor disc fastex -		
023	C00022272				earth lead 'skmu130'		
024	C00008598				mains supply cable 3x0,75		
025	C00046312				capacitor fixing plate (750908)		
026	C00090222			1 x C00144815	capacitor 4mf (ducati)		
027	C00058964			1 x C00144744	comp nly6f 220-240/50		
028	C00017721				mounting channel 535mm -		
029	C00032453				rubber shock absorber -		
030	C00008471			1 x C00193590	fixing plate - compressor (750908)		
032	C00042354				charging pipe 6x90 mm r134a		
033	C00054788				defrost water tray - (plastic)		
034	C00028100				flap valve drain membrane		
035	C00042334			1 x C00266179	filter gr.12 (d.1,95/d.4 mm) gas		
036	C00028101				connector - defrost pipe/non		
037	C00037341				anti vibration rubber bush		

5212260 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
038	C00065503				condenser armaco (wxh)		
039	C00021790				support (28x36mm) - condenser		

5212410 Exploded views

Matr. 809150001



5212410 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
002	C00025215				rubber mounting for fan motor		
003	C00028078				fan-motor(mes) - molex		
004	C00025217				cover - fan-motor		
005	C00025218				fan blade (mes)		
006	C00063943			1 x C00173680	timer (defrost) sankyo tmdex09zc		
007	C00053817				pcb 3a (molex) sankyo tmde706zc		
008	C00025244				insulation lower box (no-		
009	C00026652				adhesive sponge seal (7x610x4)		
010	C00026654				adhesive sponge seal (30x150x4)		
011	C00025245				lower cover - grey		
012	C00026960				wiring bush (no-frost)		
013	C00028116				wiring protection 194mm (no-		
014	C00042279				upper cover - grey		
015	C00022492				blanking plug (d.8,5 mm) - brown		
016	C00028085				defrost heater 20w (molex) -		
017	C00030654				defrost heater 72w (molex w343)-		
018	C00028083				thermal cut out 84øc+fuse molex		

Notices

0521100: 20W HEATING ELEMENT FOR DRIP CHANNEL FOAMED TO CABINET

As from serial no. 001110001 the 20W wire heating element on all the 2 and 3 door models of the Nofrost series, including the recessed model, is mounted under the drip tray of the freezer compartment and foamed together with the cabinet.
In the case of heating element failure, use the previous version with the heating element of the drip tray mounted outside (see Service Manual chapter 3.7).


0521111: WIDE-BAND 20W HEATING ELEMENT FOR DRIP CHANNEL

As from October 1991, the codes 028085 (molex attachments) and
025210 (faston attachments) refer to the 20 W drip tray with large band which replaces the previous type with narrow band.
In the version with wide band, the sizes of the aluminate sheet are as follows: width 470 mm and depth 130 mm.
This new heating element has major hold and heats a wider area as well as the drip tray.
To ensure that the heating element is positioned correctly, remember that the drain hole of the drip tray must coincide with the slotted part of the aluminate sheet (leaving the cables on the left).
Before removing the protection film from the adhesive tape, shape the aluminate sheet according to the shape of the drip tray.
After having removed the protection film from the adhesive tape and before positioning the aluminate sheet, ensure that the two edges overlap in order to avoid large folds at the ends when these are fixed.
Fit the aluminate sheet, keeping it towards the top and start gluing from the drain hole following along the edge of the heating element (press down firmly with your hands in order to prevent air bubbles from forming).
Complete the gluing procedure with a cloth to prevent the formation of large folds at the two ends.
Once the parts have been fixed, carefully fold one of the two edges of the cut into the drain hole using a medium cross-head screw driver.
Do not damage the wire of the heating element.
Important: after having removed the heating element you are replacing, remember to dry and clean the surface of the drip tray thoroughly.

0521123: SEALS FOR DOORS FOAMED AS ONE PIECE


Various types of gaskets with different profile, as shown in figures (A) and (B), are used to fix the door (fig. A-5; B-5) and the

inner door (fig. A-6; B-6) on the block foamed doors of combined freezers and refrigerators.
---Ilpea profile 245; 179; 412 (fig.A)
---Ilpea profile 287 (fig.B)
When replacing gaskets with profiles 245; 179; 412 these are fixed with screws (2 per corner) to the door.
Gaskets with profile 287 can not be used as spare parts but are designed to house the Ilpea type 900 gaskets (see figure C).
When replacing the gasket (287), once it is removed you will find a pocket (fig. B-1) between the door and inner door.
The rigid tooth (fig.C-1) of the gasket (900) is inserted inside between the pocket and the inner door, doing away with the need for screws.
Gasket with profile 287 is easy to identify since it has an exterior double edge (fig.B-2) which acts as a cushion when the door is closed.
To replace this gasket, follow these steps:
---Dismount the door and cut the four corners of the gasket along the joint (fig.D);
---lift the gasket and pull it carefully along its full length without tearing it (fig.E).
The purpose here is to detach the inner door slightly from the foam along the exterior edge for a depth equal to that of the gasket (fig.B-3);
---lift the corner of the inner door slightly, prising it up with your thumb (fig.F). Do not use a tool which might break the inner door;
---continue cutting the gasket inside the inner door for about 6 mm (fig.G);
---push in the tip of the pliers (type USAG N131) and pull outwards until you see the top edge of the pocket (fig. B-4) which is empty (fig.H-1);
---if you carry out this operation correctly (fig.L) you will be able to pull off the top edge of the pocket for the full length of the door.
If the gasket tears before the top edge (fig. L-2) you should repeat this operation from the other corner of the door.
---once the gasket (287), has been removed the space above the pocket (fig. L-1) can house the rigid tooth (fig. C-1) of the gasket 900.
When you fit this gasket ensure that it lies flush against the edge for the full length of the door.
If the rigid tooth is difficult to fit, eliminate any residues of foam between the door and the inner door in the gasket area.
fig.5131549A



0521124: CLOGGING OF DRAIN HOLE ON NO-FROST FRIDGE

When on no-frost refrigerators at the end of a freezer defrost the ice clogs the drain hole or ducting, do as follows:
--- Check that the 20-W drip heating element is well glued and operative, otherwise replace it.
--- With a hair-dryer remove ice residue and check that the water flows down through the drain hole and to the compressor tray.
--- Insert the aluminium rod (039719) in the hole, the bent end resting on the lowest element of the armoured heating element (60-72 W) mounted on the freezer evaporator.
If the height of the evaporator is less than 9 cm compared to the drip hole, shorten the rod about 3 cm.
To improve distribution of heat inside the drain hole, block the rod on the armoured heating element with a piece of aluminium tape (027058).
The aluminium rod, code (039719), will be equipped with a drawing to explain assembly.
fig.5131539A
A ICE



n1025120: Modification of door shelves on fitted f

Since May 2002, the Carinaro factory has modified the moulds of the inner doors and door shelves on the new fitted range (STYLE - ECO-CLASS).
The shelf attachment has been modified (angle from 15 to 6 degrees) on the fridge inner door and the light switch-off area improved.
The new refrigerator doors with 6-degree attachment are interchangeable with the previous versions but not vice versa, therefore,

the door stocks in the main replacement parts warehouse will be cleared. The new items will be managed with the same code as the previous ones.
The base of the inner door shelves has been modified for the 6-degree attachment, whereas the profiles and flip-up lids have been modified to improve the connection to the base, and therefore also these are not interchangeable with the previous ones.
Stocks of the premodification door shelves will be maintained.

New items
089086 - TRANSP. SHELF FLIP-UP LID (L.443)HOLES D.8 MM
089087 - MIDDLE SHELF NEUTRAL-44(ECO) 410 MM
089088 - BOTTLE HOLDER 44-NEUTRAL (ECO) 410 MM
089089 - MIDDLE SHELF CHROMED(CLASS) 393 MM
089090 - BOTTLE HOLDER CHROMED(CLASS) 393 MM
089091 - UPPER SHELF/NEUTRAL WHITE(STYLE) 410/6°
089092 - BOTTLE HOLDER WHITE(STYLE) 410/6°
089093 - SHELF BASE WHITE(LXH 443X70X104/6°)

Replaced elements
086391 - TRANSP. SHELF FLIP-UP LID (L.443)HOLES D.8 MM
086405 - MIDDLE SHELF NEUTRAL 44(ECO) 410 MM
086417 - BOTTLE HOLDER 44-NEUTRAL (ECO) 410 MM
088517 - MIDDLE SHELF CHROMED(CLASS) 393 MM
088518 - BOTTLE HOLDER CHROMED(CLASS) 393 MM
086701 - UPPER SHELF/NEUTRAL WHITE(STYLE) 410/15°
086423 - BOTTLE HOLDER WHITE(STYLE) 410/15°
086393 - SHELF BASE WHITE(LXH 443X70X104/15°)

Refrigerator doors cleared
086376 - REFRIGERATOR DOOR B27/GMB/NEW01 534X1026X23(ECOTECH)
087291 - REFRIGERATOR DOOR B26/GMB/STYLE 534X1024X23
086577 - ASS. REFRIGERATOR DOOR B26/GB/ECOTECH 534X1145X23
087322 - REFRIGERATOR DOOR B26/GB/STYLE 534X1184X23
087175 - REFRIGERATOR DOOR WHITE(STYLE)571X590X17
086427 - REFRIGERATOR DOOR B27/GMB/NEW01 534X1112X23(ECOTECH)
087323 - REFRIGERATOR DOOR B26/GB/STYLE 534X839X23
088879 - REFRIGERATOR DOOR B26/GMB/STYLE 534X977X23
088880 - REFRIGERATOR DOOR B26/GMB/CLAS 534X1697X23

n1025160: Elimination of screen printing on crisper front

From serial no. 60515.0001(May-2006) the front screen printing has been eliminated from the crispers of 55 cm wide refrigerators produced in Carinaro.
With this modification, in order to simplify crisper replacement, the parts introduced will be managed complete instead of with separate crisper and front panel.

New parts (crisper kit)

0144897 - KIT WHITE CRISPER/44 LXH 460X184X156
0144899 - KIT CRISPER PW LXH 460X184X156
0144901 - KIT CRISPER PW LXH 460X184X206
0144903 - KIT CRISPER PW/44 LXH 460X184X206

Parts replaced

086596 - TRANSPARENT CRISPER FRONT 460X155
087298 - WHITE CRISPER FRONT 460X155

n1030084: New sliding blocks for fixing the furniture door to the refrigerator door

---

Since October 2004, the Carinaro factory has been using new sliding blocks for fixing the furniture door to the refrigerator door.
The new items are fixed to the side of the refrigerator door, whereas the previous ones were fixed to the front.
The doors are no longer provided with sixteen 2.6 mm holes on the front for fixing the old slides.
The new sliding blocks can also be fitted on premodification models. Proceed as shown in the attached figure (N1030084fig.1).
When replacing the sliding blocks on premodification models it will necessary to replace both guides.
This modification has involved changing the installation KITS

NB - Door spare part codes have not been changed.

New parts

113698 - LARGE NYLON HOLDER SLIDE
113700 - NYLON HOLDER SLIDING GUIDE

Installation kit (models with plastic slides)

C00113967 - REFRIGERATOR INSTALLATION KIT INC. 2/P 290L (10/2004)
C00113968 - REFRIGERATOR INSTALLATION KIT INC. 2/P 290L (10/2004)
C00113970 - REFRIGERATOR INSTALLATION KIT INC. 2/P 240L (10/2004)
C00113971 - FREEZER INSTALLATION KIT INC 1/P 200L (10/2004)
C00113973 - FREEZER INSTALLATION KIT INC 1/P 140L (10/2004)
C00113974 - REFRIGERATOR INSTALLATION KIT INC. 1/P 130L 10/2004)
C00113975 - FREEZER INSTALLATION KIT INC. 2/P 300/330L (10/2004)
C00113977 - REFRIGERATOR INSTALLATION KIT INC.1/P 230L (10/2004)
C00113979 - REFRIGERATOR INSTALLATION KIT INC.1/P 160L (10/2004)
C00113985 - FREEZER INSTALLATION KIT INC 2/P 300L (10/2004)
C00113986 - FREEZER INSTALLATION KIT INC 2/P 300L (10/2004)
C00113987 - FREEZER INSTALLATION KIT INC 2/P 240L (10/2004)
C00113988 - REFRIGERATOR INSTALLATION KIT INC.1/P 300L (10/2004)
C00113989 - REFRIGERATOR INSTALLATION KIT INC.1/P 300L (10/2004)


Parts replaced

021258 - SMALL WHITE SLIDE + COVER
021259 - WHITE SLIDE

Installation kit (models with metal slides)

C00086715 - REFRIGERATOR INSTALLATION KIT INC. 2/P 290L
C00098073 - REFRIGERATOR INSTALLATION KIT INC. 2/P 290L
C00087316 - REFRIGERATOR INSTALLATION KIT INC. 2/P 240L
C00076894 - FREEZER INSTALLATION KIT INC 2/P 300/330L
C00091094 - FREEZER INSTALLATION KIT INC 2/P 330L
C00087359 - FREEZER INSTALLATION KIT INC 1/P 140-200L
C00087359 - REFRIGERATOR INSTALLATION KIT INC 1/P 130L
C00087359 - REFRIGERATOR INSTALLATION KIT INC.1/P 230L
C00087359 - REFRIGERATOR INSTALLATION KIT INC.1/P 160L
C00084964 - FREEZER INSTALLATION KIT INC 2/P 300L
C00090106 - FREEZER INSTALLATION KIT INC 2/P 240L
C00089574 - REFRIGERATOR INSTALLATION KIT INC.1/P 300L

N130084FIG1



n2511b03: COLOR CHANGE BUTTER BOX AND COVER

Only transparent will be managed


n3010j01: Colour Change of Internal Accessories

The colour of some of the internal shelves and accessories have changed to transparent. This affects models produced in Carinaro-Manisa. Modification is functionally interchangeable therefore once the colour versions of the parts have depleted they will automatically substitute to its corresponding transparent parts. Some parts will have been made obsolete with no substitution.

Some parts have changed from Satin Finish to Shiny (Crystal) Finish. These parts include;
-Door Shelves
-Crisper Front Panels
-Freezer Drawer Front Panels
All pre-modification components will be managed till the end of stock and after they will be substituted with new version.

Electric schemes and links

Cod. 521019b



FROM THE THERMOSTAT BOX

6 = LIGHT SWITCH (BLUE)
* 7 = 4 THERMOSTAT (BLACK)
* 8 = 6 THERMOSTAT (BROWN)
** 7 = 4 THERMOSTAT (BLACK)
** 8 = 3 THERMOSTAT (BROWN)
9 = EART-SYMBOL (YELLOW/GREEN)

* THERMOSTAT 3 CONTACTS
** THERMOSTAT 2 CONTACTS

A-A = DEFROSTING RESISTANCE 60-72W (BROWN)
B-B = DEFROSTING RESISTANCE 20W (WHITE)
C-C = TERMOPROTECTOR (BLEU)
D-D = FAN-MOTOR (WHITE)
E-E = FUSE THERMIC (BLACK)

FROM THE COMPRESSOR

10 = NEUTRAL (BLUE)
11 = LINE (BROWN)
12 = EART-SYMBOL (YELLOW/GREEN)
13 = 1 TERMINAL BOARD COMPRESSOR (BLACK)

14-15 = FAN PUSH-BUTTON (YELLOW)

FROM THE TIMER

1 = 4 TIMER (GREY)
2 = 1 MOTOR TIMER (BLEU)
4 = 3 TIMER (BLACK)
5 = 2 TIMER (RED)


Legend

Legend: 521019b

CM	Running capacitor	N	Neutral
CO	Compressor	PTC	PTC relay
FA	Radio anti-trouble filter	R	Heating resistance
IDS	Schackler with warning	RA	Ammetrical relay
ILFR	Push-button for fridge lamp/fan	RAN	Heating element condensation
ILFZ	Push-button for freezer lamp/fan	RFZ	Heating element condensation freezer
ILI	Lamp switch	RH	Thermal relay
IP	Door switch	RS	Defrosting resistance
IR	Line switch	RS1	Defrosting resistance no-frost evaporator
ISC	Warning light-freezing switch	RS2	Defrosting resistance no-frost gutter
IV	Fan-motor switch	SDC	CONTROL CARD DIAGRAM
L	Line	SL	Line warning
LFR	Fridge lamp	SND1	PROBE REFRIGERATOR EVAP.
LFZ	Freezer lamp	SND2	AIR-PROBE FREEZER
LI	Lighting lamp	SND3	AIR-PROBE REFRIGERATOR
M	Mass/Eart symbol	T	Erden
MO	Terminal board	TC	Turbocooling
MT	Timer motor	TF	Fuse-thermic
MV	Fan motor	THI	Thermostat switch
MVCO	Compressor compartment fan	THR	Adjustable thermostat

Electric schemes and links

Cod. 521027b



LEGEND


1-2-3-4 CONTACTS TIMER ———— WIRING


** DEFROSTING 7' 24" ±2' (50Hz), 5' 50" ±2' (60Hz)
CONTACTS CLOSED

* 7 h 54 min. ±12 min (50 HZ), 6h 35 min. ±10 min (60Hz)

*** ONLY TIMER

DIAGRAMME TIMER





TIMER SMALL SCHAFT DETAIL

A = DEFROSTING BEGINNING

B = DEFROSTING END

Legend

Legend: 521027b

CM	Running capacitor	N	Neutral
CO	Compressor	PTC	PTC relay
FA	Radio anti-trouble filter	R	Heating resistance
IDS	Schackler with warning	RA	Ammetrical relay
ILFR	Push-button for fridge lamp/fan	RAN	Heating element condensation
ILFZ	Push-button for freezer lamp/fan	RFZ	Heating element condensation freezer
ILI	Lamp switch	RH	Thermal relay
IP	Door switch	RS	Defrosting resistance
IR	Line switch	RS1	Defrosting resistance no-frost evaporator
ISC	Warning light-freezing switch	RS2	Defrosting resistance no-frost gutter
IV	Fan-motor switch	SDC	CONTROL CARD DIAGRAM
L	Line	SL	Line warning
LFR	Fridge lamp	SND1	PROBE REFRIGERATOR EVAP.
LFZ	Freezer lamp	SND2	AIR-PROBE FREEZER
LI	Lighting lamp	SND3	AIR-PROBE REFRIGERATOR
M	Mass/Eart symbol	T	Erden
MO	Terminal board	TC	Turbocooling
MT	Timer motor	TF	Fuse-thermic
MV	Fan motor	THI	Thermostat switch
MVCO	Compressor compartment fan	THR	Adjustable thermostat