


Model type:

LSV 67 A BK

LSV 67 A WH

LSV67A


Commercial code:

F016935

F016929

THIS DOCUMENT IS ONLY INTENDED FOR QUALIFIED TECHNICIANS WHO ARE AWARE OF THE RESPECTIVE SAFETY REGULATIONS. SUBJECT TO MODIFICATIONS

2160110 Exploded views



2160110 Spare parts list


Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
000	C00054998				installation instructions 'lvs2000'		
000	C00174454 (488000174454)				rugg manisa		
000	C00057965				instruction book i,gb,f,d,e,nl,p 'lsv67a'		
001	C00054831 (482000026904)				catch plate (cabinet)		
002	C00033599 (482000073468)				fixing nut		
003	C00054982 (482000038460)			1 x C00079013 (482000027460)	adjustment assembly for combinable spring		
004	C00054820 (482000039712)			1 x C00093154 (482000077950)	right side panel white		
005	C00054811 (482000041070)				side support - front rh		
006	C00057671 (482000039733)			2 x C00076875 (482000076503)	upper basket 8/12		
				1 x C00281981 (482000031541)			
007	C00056438 (482000026962)				flap upper basket 'ariston'		
008	C00048190 (482000074383)				spoons support		
009	C00048517 (482000038538)			1 x C00094297 (482000022776)	cutlery basket ariston		
010	C00048518				basket handle cover outer		
010	C00048519				basket handle cover inner		
011	C00054810 (482000039710)			1 x C00091600 (482000077654)	rear support - middle		
012	C00054830 (488000054830)				drain hose fastener		

013	C00054808 (482000074871)		lower rear support aquastop'lvs2000'	
014	C00040987 (482000073871)		terminal block	n1045044
015	C00054935		foot adjustment stay rod	n1045024
016	C00054984		adjustable front foot l=110mm + screw nu	n1045024 n1045033
017	C00054983 (482000041066)		base tray metal	n1045004
018	C00043247		fixing nut	
019	C00047373 (482000074352)		slide for foot 'cd.047372'	
020	C00054981 (482000074889)		left rear foot adjustment assembly	n1045043
021	C00054875 (482000039718)	1 x C00119016 (482000080852)	front support - lower	
022	C00054812 (482000040472)		side support - front lh	
024	C00054833 (482000074874)		top for front support	
025	C00054980 (482000074888)		rear foot adjustment assembly	n1045043
026	C00054932 (482000074883)		frame support for tub seal 60cm	n1045026 n1045047
027	C00141317 (482000022949)		top and side door seal (1638mm) (dw)	
027	C00055988 (482000039724)	1 x C00141317 (482000022949)	door seal - top and sides	n1045005 n1045035

2160110 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
028	C00033576 (482000073464)				basket runner - upper		
029	C00040996 (482000022616)				runner stop - upper basket		
030	C00056347 (482000022648)				lower basket wheel		
031	C00057670 (482000038383)			1 x C00275698 (482000031295)	lower basket		
031	C00091694 (482000027874)				settore reclinabile cesto inferiore 45cm		
032	C00040994 (482000026419)			4 x C00109840 (482000021962)	upper basket wheel		
033	C00104638 (482000028395)				basket roller axis		
034	C00054836 (482000026905)				kit runner support - upper		
035	C00055505 (482000038553)			1 x C00066629 (482000027246)	post piece		
036	C00054819 (482000039711)			1 x C00093154 (482000077950)	left side panel lh white		
037	C00033591 (482000073467)				rear support - top		
038	C00036547 (482000026325)				anti condensation strip - worktop		
039	C00056738				stop clevis		
040	C00057810 (482000055152)			1 x C00074844 (482000076353)	rack height adjuster assy		
099	C00059638				adjustable plinth guide kit		

2160210 Exploded views



2160210 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
001	C00056001 (482000026942)				upper wash arm feed pipe		
002	C00054925 (482000022645)				upper was basket guide casing		
003	C00103689 (482000039229)			1 x C00084600 (482000027626)	jet gasket		
003	C00075686 (482000076409)			1 x C00285074 (482000023233)	jet gasket		
004	C00054862 (482000038898)			1 x C00144315 (482000022981)	ring-nut fasten.external hose top sprayar		
005	C00054871 (482000039717)			1 x C00110526 (482000028476) 1 x C00110527 (482000028477)	water supply distribution assembly	n1045084	
006	C00054926 (482000038916)			1 x C00110526 (482000028476) 1 x C00110527 (482000028477)	upper wash arm feed pipe	n1045084	
007	C00056342 (482000026955)				steel pin fixing upper wash arm feed pipe	n1045084	
008	C00054873 (482000026910)				set upper wash arm		
009	C00037217				container - overflow unit		
010	C00037216 (482000026333)				float - overflow unit		
011	C00037205 (482000038862)			1 x C00143107 (482000029720)	microswitch		
013	C00033616 (482000073469)				supply cable		
014	C00054928 (482000026912)				air-flow body		
015	C00041086 (482000022617)				thermostat safety 78dnc (dw)		

016	C00056201 (482000026948)		set thermostat 50-62dc 'lvs2000'	n1045019
017	C00054843 (482000038816)	1 x C00090537 (482000022749)	drain pump v 230 50hz	
018	C00054917 (482000022644)		seal 'o'ring (23,81x2,62)	
019	C00054869 (482000022642)		drain hose	
020	C00054829 (482000038501)	1 x C00066470 (482000040486)	tube 650mm - pressure switch	n1045003 n1045017
021	C00033618 (482000026254)		electrovalve (water softener)	
022	C00044543 (482000039675)	1 x C00041484 (482000026456)	softener + ev	
024	C00005572 (482000025916)		sealing washer-mains inlet hose	
027	C00054924 (482000074882)		junction clamp	
028	C00054929 (482000038906)	1 x C00059664 (482000027083)	overflow hose 330 mm	n1045004
028	C00059664 (482000027083)		overflow hose 500 mm	n1045004
029	C00054985 (482000074890)		solenoid valve half-load	n4514k00
029	C00087279 (482000077233)		octagonal seal 'o'ring	
030	C00054923		motor support piece/bottom	
031	C00054978 (482000026915)		wash motor/pump assy 220v-75w	
032	C00054922		motor support piece	
033	C00105360 (482000079120)		capacitor 5mf	

2160210 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
034	C00054850 (482000038972)			1 x C00093752 (482000027980)	ring-nut for fastening bottom spacer ring	n1045063	
035	C00054915 (482000074881)				seal 'o'ring (32,99x2,62)	n1045063	
036	C00054861 (482000039716)			1 x C00075111 (482000027318)	support - lower wash arm bush	n1045032	
037	C00054866 (482000026909)				water inlet air break		
038	C00054927 (482000038899)			1 x C00144335 (482000082153)	ring-nut for air-flow body		
038	C00054865 (482000074877)				retaining ring - air break		
039	C00054867 (482000038907)			1 x C00076233 (482000027370)	pump junction pipe		
040	C00054872 (482000074879)				support bracket - heating element		
041	C00046319 (482000038811)			1 x C00144898 (482000022991)	heating element 2000w/230v	n1045018	
042	C00038498 (482000067677)			1 x C00373181 (482000089875)	inlet hose long antioverflow l.4090mm		
042	C00037207 (482000073659)			1 x C00373181 (482000089875)	inlet hose std antioverflow l 1930 mm		
043	C00054863 (482000039375)			1 x C00142344 (482000029630)	central filter		
044	C00054851 (482000038923)			1 x C00145075 (482000029987)	outlet filter stainless lvs2000		
045	C00033615				terminal protection - heating element		
046	C00037210				connection spout - overflow unit		
047	C00054853 (482000026906)				filter stainless cylindrical		
048	C00054864 (482000038905)			1 x C00061929 (482000027109)	outer fine rotating filter		


049	C00054849 (482000074876)		low-power heating element	n1045029
049	C00064520 (488000064520)		low-power heating element	
050	C00054857 (482000038945)	1 x C00075108 (482000022677) 1 x C00075111 (482000027318)	lower wash arm	n1045032
051	C00054860 (482000039715)	1 x C00075111 (482000027318)	bush - lower wash arm	n1045032
052	C00054859 (482000038909)	1 x C00079016 (482000027461)	rubber sleeve	
053	C00054854 (482000026907)		sump fixing ferrule	
054	C00054828 (482000026903)		gasket - sump fixing ring	
055	C00056343		control suction	
056	C00054979 (482000074887)		pump cover	
057	C00054870 (482000038970)	1 x C00084421 (482000027620)	set sump	
058	C00005819 (482000022028)	1 x C00859188 (488000859188)	salt funnel	
059	C00041088 (482000026429)		salt cap	
060	C00076659 (482000038869)	1 x C00143383 (482000029761)	radio interference suppressor	
060	C00041092 (482000026430)		radio interference suppressor	
061	C00041090 (482000038892)	1 x C00144235 (482000029868)	retaining ring - softener	
062	C00103610 (482000028363)		seal - softener/wash chamber	
064	C00054868 (482000074878)		tube - softener/sump l.(480mm)	

2160210 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
065	C00054841 (482000039714)			1 x C00063834 (482000027133)	pressure switch 1 level	n1045017	
065	C00063834 (482000027133)				pressure switch 1 level kit (dw)		
066	C00057179				anti vibrations ring		
066	C00056737 (482000074970)			1 x C00075111 (482000027318)	manifold support	n1045032	
075	C00063788 (482000038795)			1 x C00097871 (482000078490)	lock nut m8 inox		
076	C00063792 (482000027131)				seal o-ring		
076	C00063790 (482000075256)				washer d.8 mm inox		
077	C00063791 (482000027130)				temperature sensor		
080	C00056737 (482000074970)			1 x C00075111 (482000027318)	manifold support	n1045032	
081	C00073917 (482000027267)				clamp for pump cover		

2160320 Exploded views

Matr. 80901.0002



2160320 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
001	C00054930 (482000026913)				detergent + rinseaid electrodispenser	n1045023 n1045041	
004	C00054957 (482000039721)			1 x C00092508 (482000041048)	inner door		
004	C00041662 (482000072177)			1 x C00056475 (482000026963)	cabinet gasket		
005	C00041194 (482000026443)				microswitch		
006	C00039361 (482000022611)				closure+dashboard handle black		
006	C00039341 (482000026378)				closure+dashboard handle white		
008	C00041197 (482000026445)				spacing bush - wood door fixing hole		
009	C00057968				wiring harness - copreci td 020004		
011	C00041184 (482000026440)				on-off switch (double pole) (dw)		
011	C00044714 (482000090695)				push-button switch nc+no		
011	C00056330 (482000026954)				push button switch double plus		
011	C00041790 (482000090693)				push button switch nc		
012	C00051609 (482000074643)				red pilot lamp		
012	C00053117				green pilot lamp		
013	C00056328 (482000074947)				timer - copreci td 020004		
014	C00041880				light timer		

015	C00041882		dashboard white
015	C00041898 (482000073981)		dashboard black
016	C00058012 (488000058012)		knob disc timer white 27
017	C00058018 (482000075056)		plat band control panel wh
017	C00058020		plat band control panel an
018	C00039470 (482000073794)		spring - handle cover
019	C00039480 (482000073795)		handle cover flap - white
019	C00039466 (482000073793)		cover handle black
020	C00055000 (482000039722)	1 x C00143736 (482000082031)	special screw for spring
021	C00039935		timer knob b26
021	C00040014 (482000026400)		timer knob black
022	C00048203 (482000074388)		mounting bracket - wood door
023	C00080505		door zinc
023	C00054886		door white
025	C00054815 (482000026899)		hinge item, right kit
026	C00054818 (482000038453)	1 x C00096996 (482000028184)	hinge assembly
027	C00048504 (482000022630)		hinge pin
028	C00054817 (482000026900)		hinge item, left kit

2160320 Spare parts list


Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
029	C00054937 (482000026914)				door spring		
031	C00054936 (482000022646)				spring adjustment wire		
033	C00054938 (482000074885)				side strip for door l=410		
034	C00054933 (482000074884)				spring adjustment piece		
035	C00039340 (482000038630)			1 x C00144039 (482000029839)	push-button white27		
035	C00039360 (482000026382)				push-button black		
036	C00028994 (482000038633)			1 x C00142899 (482000029673)	height adjusting strip panel white27		
036	C00029540 (482000026139)				facia spacer - black		
044	C00058776 (482000022656)				washer d = 6 mm		
045	C00061421 (482000038904)			1 x C00054930 (482000026913)	dosing device tap brightener elbi		
099	C00040288 (482000038794)			1 x C00037135 (482000026331)	lock nut m4		
099	C00077438 (482000038797)			1 x C00012687 (482000072661)	self-tapping galvanized screw sw 3.5x14tm		
099	C00065862 (482000027216)				screw stainless 3,5x8 door liner dishwash		
099	C00001140				screw 3.5 x 9		
099	C00104255				hose clamp		
099	C00040562 (482000038799)			1 x C00084479 (482000022034)	hose clamp		
099	C00084615				door inox xld72 'fim'		

099	C00042323 (482000074028)		water hardness test strips
099	C00041214 (482000070833)	1 x C00041229 (482000040723)	heat trasmiter paste
099	C00041196 (482000039660)	1 x C00053019 (482000074759)	blanking plug - wood door fixing hole
099	C00050537 (482000038924)	1 x C00053019 (482000074759)	installation kit
099	C00040005 (482000039656)	1 x C00292523 (482000031990)	grease amblig ta 1 gr.
099	C00054956 (482000074886)		installation template
099	C00053019 (482000074759)		installation kit

Notices

0210007: SOFT CLOSURE ON BUILT-IN DISHWASHER BROKEN

Breakage of "soft" handle on the facia of built-in dishwashers
If the tabs of the internal block should break, making it impossible to reach inside the machine, follow these steps:
1) Fit a cross screw-driver with a 3.5 x 16 self-locking screw on the tip, into the handle housing.
Fit the screw into one of the two slots shown in the drawing (view from x), screwing half of the screw in.
If the above prcoedure has been carried out correctly, when you pull the handle the door will open.
2) The handle unit must then be replaced.
fig.2110019A
A View from X
B Handle
C Door locking assy soft
D Internal block shouldbreak



n1045003: Length of Pressure Switch Hose

Beginning with serial no. 90106.0001 the pressure switch hose will be lengthened by 20 mm and will measure, therefore, 620 mm.

It will be handled with the same SAT part number as the pre-modification part (054829).
The inventories at the Centralized Spare Parts Warehouse have already been updated.

n1045004: Tub Bottom Trays

Beginning with serial no. 81103.0001 on the dishwashers in the 2000 product line manufactured at the None factory, tub bottom trays with a larger water holding capacity will be used, reducing the liters of water controlled by the micro-switch from 1.7 to 0.3 liters.
In addition, the two overflow pipes (part no. 054929) have been lengthened by 170 mm (part number 059664) and positioned so that they direct the water to the area where the float is located.
To facilitate servicing, the tub bottom trays will be handled complete with feet, support and float, micro-switch, float, nut screw and overflow hoses.

The part numbers for the tray assemblies are as follows:

Part No. 054874 Tray assembly with adjustable feet for free-standing appliances;
Part No. 054983 Tray assembly with adjustable feet for built-in appliances;
Part No. 059732 Tray assembly with fixed feet for built-in appliances.

The new trays can be used in place of the pre-modification ones, but not vice versa.

n1045005: New Tub Seal

On all the dishwashers in the 2000 product line, the tub seal made with a special mix (part no. 059637) will be used only for post-sales servicing and not for production. It has been introduced to eliminate difficulties with closing the door and the condensation of water in the area above the door itself.
If repairs must be made, the use of the new tub seal is obligatory.

n1045017: New pressure switches and pipes.

Beginning with serial no. 00116.0001, instead of the pressure switch part no. 054841 and the pressure switch pipe part no. 054829, the part no. 063834 already employed on 45 cm appliances and part no. 066470 are used respectively on 60 cm Washing machines manufactured at the None factory.
With the only exception of models LSI61 and LSI61A, fitted with a hide-away electro-mechanical timer, where the pressure switch part no. 056476 must absolutely be fitted (mod. Elbi 120mm).

Should the float come into operation during functioning on pre-modification appliances, then both the pressure switch and the

pressure switch pipe should be replaced, using the new parts.
In order to avoid any errors in the use of the part no. 054841, it was eliminated from documentation, whereas a kit is handled with part no. 063834, that is composed of both the pressure switch and the pipe.

n1045018: New meliorative heating elements.

New meliorative heating elements have been created for 60 and 45 cm dishwashers, with the following spare part numbers:
066598, with green surface colour, for 60 cm models.
066602, for 45 cm models.
The new heating elements replace part numbers 046319 and 061014(Rohs 144251).

n1045019: Heat-conducting paste for NTC contact improvement.

In order to make the contact between NTC and tub easier, the heat-conducting paste code no. 041214 part number 6S040002 already being handled should be used.

n1045020: New door gaskets

In order to eliminate any emission of steam from the door, new "TECAR" door gaskets are being used. The new parts keep the same spare part no. 059637 for 60 cm appliances and 063853 for 45 cm ones.

Before replacing the door gaskets, the following operations should be carried out:
Check whether there is any creasing on the corners, and if so then remove the seal and reassemble it correctly.
Use silicone to fill up any cracks in the frame (top left- and right-hand part).
Every time any intervention is carried out on the gasket, make sure the appliance is perfectly level in order to improve the assembly and replacement procedures.


n1045023: New detergent dispenser gasket.

To stop the detergent dispenser coil from vibrating and to avoid excessive drawing of the powder detergent during pre-washes.
The cracked gasket should be replaced with the one without cracks part no.066647.

n1045024: Foot adjusting rod kit.

Beginning with serial no. 90303.0001 on all dishwashers with adjustable feet, the new 4 mm foot adjusting rod part no. 063615 is used, plus the adjusting bush Kit part no. 074168.
The new rod can be used instead of the pre-modification one which will be handled until stocks run out.

INSTRUCTIONS FOR THE FRONT ADJUSTMENT OF THE BACK FEET.
Introduce the insert "A" onto the adjusting pin and, using a 7mm hexagonal spanner or using a flat tip screwdriver, turn it clockwise to raise the washing machine (see figure NT002100).



n1045026: Tub gasket support frame spare part eliminated.

Upon indication from the Quality department at the Dishwasher producing factory, part no. 054932 will no longer be handled as a spare part.

n1045029: Low power 7 W drying heating element.

Beginning with serial no. 90615.0001, a new low power 7 W drying heating element is being used on dishwashers LVS2000.
The new heating element Part no. 064520, being of a different shape, must be assembled onto the Air-break's wall.
It can be used instead of the pre-modification one (tub bottom drying heating element) but not vice-versa.
The old heating element Part no. 054849 will continue to be handled until stocks run out.

n1045032: New lower spray arm assemblies.

Interventions on pre-modification Dishwashers up until serial no.000531.
60 cm appliances:
When replacing the lower spray arm part no.:
054857,the whole block needs to be replaced using the new assembly part no. 066645.
If, on the other hand, one of the following part numbers needs to be replaced
056737 - spring
054861 - manifold
054860 - support
then these should be replaced using kit - 075111.

45 cm appliances:
When replacing the lower spray arm part no.:
063835, the whole block needs to be replaced using the new assembly part no. 074376.
If, on the other hand, one of the following part numbers needs to be replaced
056737 - spring
054861 - manifold
054860 - support
then these should be replaced using kit - 075111.

For interventions on post-modification appliances beginning with serial number 00601, then the following individual new components need to be ordered:
066642 - spacer ring
066643 - manifold
075057 - ring nut
075108 - 60 cm spray arm
075109 - 45 cm spray arm.

n1045033: Kit of adjustable feet for dishwashers LVS2000, 140 mm high.


In order to cope with the increasingly frequent demand from furniture manufacturers, new 14 cm height-adjustable feet are being used on dishwashers LVS2000.
Moreover, a kit of adjustable feet has been made available which allows the worktop to be adjusted to a height of up to nine centimetres.
Spare part number of the Kit:
066655 KIT OF ADJUSTABLE FEET H.140
Spare part numbers for each individual foot:
066653 ADJUSTABLE FOOT WITH NUT H.140 MM
074435 ADJUSTABLE FOOT H=140 MM.

n1045035: Lower gasket kit for Dishwasher LVS2000 tub.

On "LVS_2000" Dishwasher models, in the event of intervention for the replacement of the tub lower gasket, it is necessary to cut the old gasket flush with the door and use the Kit 056475 "LOWER GASKET KIT FOR TUB ON 'LVS 2000'" which is fixed to the Tub with some springs attached.

n1045041: Wiring connector to replace detergent an

When electro-container 054930 is used in place of 041769, in order to avoid replacing wiring too, it must be modified as per instructions, see also figure NT006700.
Clamp the wires to the terminals "code 086368" and insert them in the connector provided "code 078851". The position is of no importance.
These components are supplied with Kit 054930.



n1045043: New feet regulation sets.

The new feet regulation sets must be mounted with the modified door posts of diameter 15 and the new back tray holes of diameter 15.
The bushes code 083632 must be mounted in the diameter 15 door posts on built-in models without Easy regulation feet.
The tray set and the old feet regulation sets are not interchangeable with the new, and therefore the old are handled with the old and the new with the new.
The old codes are as follows :
054980 - 054981 - 061990 - 065922.
The new codes are :
083632 - 078397 - 078396 - 078809 - 083625.
In the 60 models the door posts maintain the same spare part code but the drill holes should be widened to mount the new bushes and new feet.
In the 45 model the new door posts may be used code 083623 and 083624, or mount the old codes 063826 and 063827, widening the holes for the new feet bushes.

n1045044: Changes to the terminal board of input cable of Dish-washer

---

New parts have been introduced on some models of Dishwashers, regarding a change of the input cable that does not has more the terminal board cod. 040987 and that introduces a new connection with a anti-jamming filter cod. 076659(Rohs 143383).
To introduce these new harnesses, the back and lower cross arms have been changed, too.
The new codes are the more recent ones with a numerical index. In case of intervention, the new code has to be substituted with the new one and the old code has been substituted with the old one

n1045047: Disjunction and recovery of the point-welded frames for dish-washer

---

Frame supports C00085104 (dishw. 45cm) and C00054932 (dishw. 60cm) are no longer available from the spare parts warehouses.
If you find removal problems of the frame from the tank when effecting a repair it will be necessary to carry out the following operations:

Operation one.
NT005800
After cleaning the surface, insert the new frame in its seat for the definitive location.

Operation two.
NT005900
Drill the frame, where it results to be weak or completely disjointed. In the second case, drill the frame in more outer points.

Operation three.
NT006000
Suck the ferrous residues, which can touch the tank and provoke phenomena of corrosion.

Operation four.
NT006100
After having drilled the frame, screw nails, which have to be of steel and to have a gasket.

Operation five.
NT006200
Put the silicone on all the outer parts between frame and tank.
Sleek the silicon substrate to avoid over-thickness.
As to the above explanation, see the news-images, indicated in the operations to perform.


DRAULICHE
ydraulic tests


12 VOLT







n1045063: Introduction of coupling+ring nut Sat code 093752

From serial number 30224.0001, all dishwashers affected by this modification have been equipped with the new coupling+ring nut assembly Sat code 093752, in place of coupling Sat code 079016, ring nut Sat code 054850 and gasket Sat code 054915.
Ring nut Sat code 054850 will continue to be available from the spare parts warehouse while stocks last, and coupling Sat code 079016 will continue to be stocked because it is still used for the tank-volute connection.
Picture N1045063 illustrates the premodification structure in FIG1 and the new structure in FIG2.

N1045063




FIG. 1
STRUTTURA
PREMODIFICA




FIG. 2
NUOVA
STRUTTURA

n1045084: Elimination of duct fixing pin code 056342

Duct fixing pin code 056342 has been eliminated from all dishwashers affected by this note, modifying the connection between the feeder-distribution assembly and the internal duct.

Introduced items:
Internal duct 110527
Feeder-distribution assembly 110526

Eliminated items:
Internal duct 054926
Feeder-distribution assembly 094134 (EX 054871)
Duct fixing pin 056342


The modification has been introduced progressively, starting from serial no. 40517.0001.

n4514k00: SOLENOID VALVE HALF LOAD

The half load valve is supplied with the wash pump please order the wash pump on the parts list supplied.

Electric schemes and links

Cod. 216003a



Legend


Legend: 216003a

DD	Display - Detergent dispenser	THP	Thermoprotector
D-ED	Dispenser - Electric dosing device	TM	Timer
E1	Cold water electrovalve	Tml	Pump wash motor earthing connection
E2	Regeneration electrovalve	Tpg	Large door earthing connection
E3	Hot water electrovalve	Tpi	Inspection door earthing connection
ECO	Saving switch	Tpr	Pressure switch
ED	Detergent/Brightener dispenser	Tps	Discharge pump earthing connection
EV1	Cold water electrovalve MM- Handle dip-switch	Tr	Heating element
EV1/2	Half-load electrovalve	TS	Safety thermostat
EV2	Regeneration electrovalve	TS 40	Thermostat 40 ?C
EV3	Hot water electrovalve	TS 50	Thermostat 50 ?C
EVC	Hot water electrovalve	TS 62	Thermostat 62 ?C
EVF	Cold water electrovalve	TS1	Min. temperature thermostat
EVR	Regeneration water electrovalve	TS2	Max. temperature thermostat
F	Anti-interference filter ML- Wash motor	TT	Terminal box support earth
FA	Radio interferences	Tte	Delay-timer earthing connection
I1	On/Off switch - Plus cycle switch -IEC cycle	Tti	Timer earthing connection
I1/2	Switch half-load	IP	High temperature switch
I2	Fast switch -IEC cycle switch (standard) -Switch	IS	Cut-off switch
I2H	2-hour delay switch	ISB	Polisher led switch
I3	Saving switch- Switch for cycle with no pre-	ISS	Salt LED switch
I4	Switch for cycle fresh dirty	ITR	Heating element switch
I4H	4-hour delay switch	L	Mains LED
I5-ICR	Fast cycle switch	L1	Cycle 1 lamp
I6	Soak cycle switch	L1/2	Lamp cjcle half-load
I6H	6-hour delay switch	L2	Cycle 2 lamp
IAQS	Aquastop switch	L3	Cycle 3 lamp
ID	Switch display	L4	Cycle 4 lamp
IE	Saving switch	L5	Cycle 5 lamp
IEXD	Exstra dray switch	L6	Cycle 6 lamp
IG	Main switch	LA	Drying LED

IMV	Off motor fan switch	LAQ	Aquastop on lamp
A..	Timer contact	LC	Cycle ranning lamp
AQS	Aquastop electrovalve	LD	Delay activated lamp
B..	Timer contact	LE	Saving cycle
C	Condensor	LH2	2-hour delay lamp
C..	Timer contact	LH4	4-hour delay lamp
CL	Slow cam	LH6	6-hour delay lamp
P2	Stage 2 pressure switch	LL	Wash LED
PAP	High pressure switch	LP	High temperature LED
PO	Overflow pressure switch	LPA	Door open
PS	Drain pump	LPR	Prewash LED
PULS	Push-button panel	LRI	Rinse LED
R	Heating element	LS	Mains LED -Pilot lampe On/Off
R.D.	Delay rotary selector	LSB	Polisher LED
RA	Heating element drying	LSC	Cycle ranning lamp
ROT D	Delay rotary selector	LSE	Acquastop LED
ROT.	Rotary selector	LSS	Salt LED
S	Motor overload cutout	LV	Fan off lamp
SC	Selector cycli	M	Terminal box
SS	Salt detector	MB	Polisher dip-switch
ST	START	ME	Acquastop dip-switch
T..	Delay-tymer contact	ML	Wash motor
T1	Power supply earth cable -Thermostat 45?C	MM	Handle dip-switch
T2	Lid earth -Thermostat 55?C	MP	Door dip-switch
T3	Timer earth -Thermostat 65?C	MR	Delay-timer motor - Terminal board
T36	36?C N.O. Thermostat	MT	Timer motor
T4	Heating element earth	MTR	Fast forward timer motor
T46	46?C N.O. Thermostat	MV	Motor fan
T5	Drain pump earth	P	Pressure switch
T57	57?C N.O. Thermostat	P..	Pressure switch contact
T6	Wash motor earth	P1	Stage 1 pressure
T8	External lid earth	CM	Wash pump motor connector
Tcp	nner-door earthing connection	CN	Connector
TE	Relay switch	CV	Fast cam
Tfa	Radio interference	D..	Timer contact

Electric schemes and links

Cod. 216003b



Legend

Legend: 216003b

DD	Display - Detergent dispenser	THP	Thermoprotector
D-ED	Dispenser - Electric dosing device	TM	Timer
E1	Cold water electrovalve	Tml	Pump wash motor earthing connection
E2	Regeneration electrovalve	Tpg	Large door earthing connection
E3	Hot water electrovalve	Tpi	Inspection door earthing connection
ECO	Saving switch	Tpr	Pressure switch
ED	Detergent/Brightener dispenser	Tps	Discharge pump earthing connection
EV1	Cold water electrovalve MM- Handle dip-switch	Tr	Heating element
EV1/2	Half-load electrovalve	TS	Safety thermostat
EV2	Regeneration electrovalve	TS 40	Thermostat 40 ?C
EV3	Hot water electrovalve	TS 50	Thermostat 50 ?C
EVC	Hot water electrovalve	TS 62	Thermostat 62 ?C
EVF	Cold water electrovalve	TS1	Min. temperature thermostat
EVR	Regeneration water electrovalve	TS2	Max. temperature thermostat
F	Anti-interference filter ML- Wash motor	TT	Terminal box support earth
FA	Radio interferences	Tte	Delay-timer earthing connection
I1	On/Off switch - Plus cycle switch -IEC cycle	Tti	Timer earthing connection
I1/2	Switch half-load	IP	High temperature switch
I2	Fast switch -IEC cycle switch (standard) -Switch	IS	Cut-off switch
I2H	2-hour delay switch	ISB	Polisher led switch
I3	Saving switch- Switch for cycle with no pre-	ISS	Salt LED switch
I4	Switch for cycle fresh dirty	ITR	Heating element switch
I4H	4-hour delay switch	L	Mains LED
I5-ICR	Fast cycle switch	L1	Cycle 1 lamp
I6	Soak cycle switch	L1/2	Lamp cjcle half-load
I6H	6-hour delay switch	L2	Cycle 2 lamp
IAQS	Aquastop switch	L3	Cycle 3 lamp
ID	Switch display	L4	Cycle 4 lamp
IE	Saving switch	L5	Cycle 5 lamp
IEXD	Exstra dray switch	L6	Cycle 6 lamp
IG	Main switch	LA	Drying LED

IMV	Off motor fan switch	LAQ	Aquastop on lamp
A..	Timer contact	LC	Cycle ranning lamp
AQS	Aquastop electrovalve	LD	Delay activated lamp
B..	Timer contact	LE	Saving cycle
C	Condensor	LH2	2-hour delay lamp
C..	Timer contact	LH4	4-hour delay lamp
CL	Slow cam	LH6	6-hour delay lamp
P2	Stage 2 pressure switch	LL	Wash LED
PAP	High pressure switch	LP	High temperature LED
PO	Overflow pressure switch	LPA	Door open
PS	Drain pump	LPR	Prewash LED
PULS	Push-button panel	LRI	Rinse LED
R	Heating element	LS	Mains LED -Pilot lampe On/Off
R.D.	Delay rotary selector	LSB	Polisher LED
RA	Heating element drying	LSC	Cycle ranning lamp
ROT D	Delay rotary selector	LSE	Acquastop LED
ROT.	Rotary selector	LSS	Salt LED
S	Motor overload cutout	LV	Fan off lamp
SC	Selector cycli	M	Terminal box
SS	Salt detector	MB	Polisher dip-switch
ST	START	ME	Acquastop dip-switch
T..	Delay-tymer contact	ML	Wash motor
T1	Power supply earth cable -Thermostat 45?C	MM	Handle dip-switch
T2	Lid earth -Thermostat 55?C	MP	Door dip-switch
T3	Timer earth -Thermostat 65?C	MR	Delay-timer motor - Terminal board
T36	36?C N.O. Thermostat	MT	Timer motor
T4	Heating element earth	MTR	Fast forward timer motor
T46	46?C N.O. Thermostat	MV	Motor fan
T5	Drain pump earth	P	Pressure switch
T57	57?C N.O. Thermostat	P..	Pressure switch contact
T6	Wash motor earth	P1	Stage 1 pressure
T8	External lid earth	CM	Wash pump motor connector
Tcp	nner-door earthing connection	CN	Connector
TE	Relay switch	CV	Fast cam
Tfa	Radio interference	D..	Timer contact