
INDESIT company



Model type:

F481012P.1IX

Commercial code:

F042614

# General notes

## Technical Documentation guidelines

---

---

You can find herewith some generic information to simplify cunsulting of technical documentation:

1. Models of same range share the same exploded views, which report the richest set of spare parts:generally, a model does not necessarly have a related spare part for each particular shown on exploded views.

2. Some spare parts can not be represented directly on the exploded views (instruction booklets, specific kit, etc...). You can find those codes in the spare parts list with the same reference of particular where spares are installed or with references 099, 999. Instruction booklets, once managed, appear with 000 reference.

3. On the higher right site of each exploded view there is a serial number which indicates the beginning of the production of certain range:some models might have more than an exploded view for a given category, each distinguished by a different serial no.and linked to another spare parts list, In this case, serial no. is required to supply the right spare part code. Exploded view to be considered is the one with a more recent serial no. but previous than the one of the model that needs assistance.

4.Exploded views might require further updates even after publishing. Addition of new spares will go on following the already existing numeration references. Revision number of an exploded view is shown into last four digits of serial number into upper right hand corner.

5.The spare parts list associated to an exploded view shows related codes of spares managed for a certain model; for each spare part other informations are available:

REF: reference no of spare into a table; SUBSTITUTE: list of spare(s) which can replace a code but that keeps same functional characteristics


INDUSTRIAL CODE: list of variables of a model (shown into model label) where such spare is used; NOTICE: code of information(s) to refer to complete technical intervention, track for changes or to find correct spare part code.

6. Some notices, into a same section are generic therefore cannot be directly linked to a spare part. In order to assist a model in the best way as possible, it is helpful to pay attention to all notices and constantly verify documentation updates

7.Technical documentation cover shows model name and its commercial codes

4350130 Exploded views

61201.0001





4350130

4350130 Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 000 | C00145069 | | | | cooking book touch piezo | | |
| 000 | C00196006 | | | | quick guide f48 hot/ari | | |
| 000 | C00196048 | | | | instruction book it-gb-fr-es-pt | | |
| 000 | C00196049 | | | | instruction book nl-de | | |
| 001 | C00143185 | | | | oven top f48 dl | | |
| 002 | C00143186 | | | | side panel right f48 dl | | |
| 003 | C00143190 | | | | handle side panel built in oven | | |
| 004 | C00013973 | | | | screw 8p x 12,75 tpr black | | |
| 004 | C00033163 | | | | washer - black | | |
| 004 | C00143139 | | | 1 x C00265197 | enamelled front drop down f48 dl | | |
| 005 | C00145645 | | | | seal pyro federal mogul (9 clips) | | |
| 006 | C00143167 | | | | right lateral profile f48 dl | | |
| 007 | C00143169 | | | | third door glass pyro f48 dl | | |
| 008 | C00143170 | | | | middle glass seal 3v f48 | | |
| 009 | C00145647 | | | | hinge for oven door 3 glass f48 dl | | |
| 010 | C00042326 | | | | screw m5x20 tcb | | |
| 011 | C00196037 | | 70409... | | oven door glass f48 ari drop down | n1507e00 | |
| 011 | C00255159 | 70410... | | 1 x C00258918 | oven door glass f48 ari drop down | n1507e00 | |
| 012 | C00196031 | | | | handle f48 ariston | | |
| 013 | C00196001 | | | | glass bracket f48 dl | | |
| 017 | C00145646 | | | | packing flank f48 | | |
| 018 | C00196293 | | | | inner door glass pyro f48 dl 3mm | | |
| 019 | C00143168 | | | | left lateral profile f48 dl | | |
| 020 | C00145641 | | 70409... | | front heading door an f48 new | n1507e00 | |
| 020 | C00252728 | 70410... | | | front heading door an f48 new | n1507e00 | |
| 021 | C00143193 | | | | electric oven bottom f48 dl | | |
| 022 | C00143194 | | | | deflector electric oven bottom f48 | | |
| 023 | C00143196 | | 70930... | | electr. protection f48 dl | | |
| 023 | C00259535 | 71001... | | | connector support f48 dl | | |
| 024 | C00143195 | | 70930... | | connector support f48 dl | | |
| 025 | C00143188 | | | | side panel left f48 dl | | |
| 026 | C00082487 | | | | cabinet fixing square | | |
| 027 | C00143197 | | | | rear panel f48 dl | | |
| 028 | C00143198 | | | | trap for rear panel f48 dl | | |
| 099 | C00088347 | | | 1 x C00145442 | screw trc 3.5x25 tsp | | |

4350210 Exploded views




4350210 Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 001 | C00143138 | | | | evac.conduit,rr preassembled f48 | | |
| 002 | C00144935 | | | | ventilation ducting scholtes f48 dl | | |
| 003 | C00098848 | | | | ceramic catalyser pyro | | |
| 004 | C00143153 | | | | chimney f48 dl | | |
| 006 | C00142038 | | | | rear oven insulation mat - pyro | | |
| 007 | C00143152 | | | | oven insulation mat f48 pyro | | |
| 008 | C00143187 | | | | deflector side panel right f48 dl | | |
| 009 | C00196291 | | | | door hinge support f48-dl | | |
| 015 | C00081578 | | | | oven grid | | |
| 016 | C00137834 | | | | drip tray - black enamelled pyro | | |
| 018 | C00116236 | | | 1 x C00297596 | wire runners oven shelf supp. | | |
| 019 | C00116235 | | 90530... | | runners - oven shelf supports | | |
| 019 | C00267671 | 90531... | | 1 x C00303324 | slide right | | |
| 019 | C00267672 | 90531... | | 1 x C00303324 | slide left | | |
| 020 | C00084756 | | | | fixing insert m4 | | |
| 023 | C00081585 | | | | taptite screw | | |
| 024 | C00142045 | | | | oven back panel piro | | |
| 025 | C00117445 | | | 1 x C00271907 | fixing insert m4 pyro | | |
| 026 | C00098846 | | | | oven lamp deflector | | |
| 027 | C00143191 | | | | deflector side panel left f48 dl | | |
| 028 | C00196294 | | | | cavity f48 pyro | | |
| 029 | C00119339 | | | | rear cross beam new s2000 | | |
| 099 | C00093670 | | | | screw burner support 8mm | | |

4350330 Exploded views

61201.0001




4350330

4350330 Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 001 | C00142027 | | | | serial port cover hot2005 | | |
| 002 | C00142028 | | | | adaptor housing hardware hot2005 | | |
| 003 | C00194118 | | | | wiring housing hardware f48 | | |
| 004 | C00143149 | | 70701... | 1 x C00255072 | tangential fan f48 50hz/24w | | |
| 004 | C00255072 | 70702... | | | tangential fan f48 50hz/24w | | |
| 005 | C00143162 | | 70930... | | electric door switch bitron f.48 | | |
| 005 | C00259518 | 71001... | | | electric door switch bitron | | |
| 006 | C00141597 | | 70527... | | thermostat, 250v 130° | | |
| 006 | C00255673 | 70528... | 71001... | | thermostat, 16a 250v 90° | | |
| 006 | C00259458 | 71001... | | | thermostat, 10a 250v 130°c cut-in | | |
| 007 | C00139061 | | | | thermostat, 16a 250v 230c t300 | | |
| 009 | C00083853 | | | 1 x C00270746 | junction clamp | | |
| 010 | C00138851 | | | | probe | | |
| 011 | C00140135 | | | | upper grill heating element | | |
| 012 | C00138834 | | | | round heating element | | |
| 013 | C00042326 | | | | screw m5x20 tcb | | |
| 014 | C00196032 | | | | touch assembly pyro f48 drop | | |
| 015 | C00145084 | | | | display card e1 pyro (hot2005) | | |
| 016 | C00196028 | | 70930... | | wiring display f48 ariston drop | | |
| 016 | C00259537 | 71001... | | | wiring display f48 ariston drop | | |
| 017 | C00196031 | | | | handle f48 ariston | | |
| 018 | C00143136 | | 70930... | 1 x C00259536 | wiring display f48 dl | | |
| 018 | C00259536 | 71001... | | | wiring display f48 dl | | |
| 019 | C00194119 | | | | radio interference suppressor f48 | | |
| 022 | C00140299 | | | | circulating fan motor pyro | | |
| 023 | C00143133 | | | | box for main board f48 | | |
| 024 | C00275985 | | | | power board hot2005 | | |
| 026 | C00035727 | | | 1 x C00276836 | mains supply cable 3x2,5 | | |
| 027 | C00143135 | | | | terminal block f48 dl | | |
| 028 | C00138833 | | 01012... | | box & lamp | | |
| 028 | C00273472 | 01013... | | | lamp box + lamp + glass | | |
| 029 | C00132815 | | | | lamp seal | | |
| 030 | C00132816 | | | | lamp holder glass | | |
| 033 | C00276547 | | | | card 8kb hot2005 sw | | |
| 034 | C00252539 | | | 1 x C00263927 | smart reader for card 8kb | | |

Notices


n1507e00: NEW OVEN DOOR HEAD INTRODUCED

---

When the pre-modification items are no longer available, all parts will have to be ordered and replaced.

Electric schemes and links

Cod. 16002139900




se16002139900


# Legend

Legend: 16002139900

| | | | |
|---|---|---|---|
| AE | Ignition transformer | PE | Plate electric (Normal and Rapid) |
| AT | Ignition transformer | PEL | Wall socket |
| CF | Oven commutator | PIF | Cooking programmer |
| CP | Plate commutator(Normal end Rapid) | POT | Thermostated potentiometer |
| CT | Plate commutator(Automatic) | PT | Termoprotector |
| DC DR | Double Knob double crown burner control card | PTC | Thermostated sensor |
| EV | Electro-Valve | RCE | Grill heating element ex- ternal |
| FC | End of cooking programmer | RCI | Grill heating element internal |
| FRONT | Daschboard | RE | Energy regulator |
| I/LF | OVEN LIGHT SWITCH | RF | Oven lower heating element |
| I/LF-MG | OVEN LIGHT SWITCH + ROTISSERIE | RG | Grill heating element |
| I/MG | TURNSPIT SWITCH | RG COM | Grill heating element un- ion |
| IL | Knobs' Lighting | RV | Heating element ventilated oven |
| ILG | Lamp switch turnspit | SA | Boiler operating led |
| IT | Thermostated switch | SB | Thermostated burner led |
| L | Line (Feed) | SF | Warning light working |
| LF | Oven light | SO | Probe temperature |
| LI | Oven light | SP | Operating Indicator Light for the Plate |
| M | Suction motor handle | ST | Warning light thermostat |
| MG | Turnspit motor | TH | Thermostat fixed |
| MO | Terminal board | TH2 | Thermostated burner cooling |
| MUFF | Oven | THR | Adjustable thermostat |
| MV | Fan motor | TP | Termoprotector |
| N | Neutral (Feed) | TRAV | Support terminal board |
| PA | Ignition push-button | TRM | Thermostated burner control card |

Electric schemes and links

Cod. 16002182300




se16002182300


# Legend

Legend: 16002182300

| | | | |
|---|---|---|---|
| AE | Ignition transformer | PE | Plate electric (Normal and Rapid) |
| AT | Ignition transformer | PEL | Wall socket |
| CF | Oven commutator | PIF | Cooking programmer |
| CP | Plate commutator(Normal end Rapid) | POT | Thermostated potentiometer |
| CT | Plate commutator(Automatic) | PT | Termoprotector |
| DC DR | Double Knob double crown burner control card | PTC | Thermostated sensor |
| EV | Electro-Valve | RCE | Grill heating element ex- ternal |
| FC | End of cooking programmer | RCI | Grill heating element internal |
| FRONT | Daschboard | RE | Energy regulator |
| I/LF | OVEN LIGHT SWITCH | RF | Oven lower heating element |
| I/LF-MG | OVEN LIGHT SWITCH + ROTISSERIE | RG | Grill heating element |
| I/MG | TURNSPIT SWITCH | RG COM | Grill heating element un- ion |
| IL | Knobs' Lighting | RV | Heating element ventilated oven |
| ILG | Lamp switch turnspit | SA | Boiler operating led |
| IT | Thermostated switch | SB | Thermostated burner led |
| L | Line (Feed) | SF | Warning light working |
| LF | Oven light | SO | Probe temperature |
| LI | Oven light | SP | Operating Indicator Light for the Plate |
| M | Suction motor handle | ST | Warning light thermostat |
| MG | Turnspit motor | TH | Thermostat fixed |
| MO | Terminal board | TH2 | Thermostated burner cooling |
| MUFF | Oven | THR | Adjustable thermostat |
| MV | Fan motor | TP | Termoprotector |
| N | Neutral (Feed) | TRAV | Support terminal board |
| PA | Ignition push-button | TRM | Thermostated burner control card |

Electric schemes and links

Cod. 16002286000




16002286000

## Legend

Legend: 16002286000