
INDESIT company



Model type:
DI71SIIT

Commercial code:
F027949

General notes

Technical Documentation guidelines

You can find herewith some generic information to simplify cunsulting of technical documentation:

1. Models of same range share the same exploded views, which report the richest set of spare parts:generally, a model does not necessarly have a related spare part for each particular shown on exploded views.

2. Some spare parts can not be represented directly on the exploded views (instruction booklets, specific kit, etc...). You can find those codes in the spare parts list with the same reference of particular where spares are installed or with references 099, 999. Instruction booklets, once managed, appear with 000 reference.

3. On the higher right site of each exploded view there is a serial number which indicates the beginning of the production of certain range:some models might have more than an exploded view for a given category, each distinguished by a different serial no.and linked to another spare parts list, In this case, serial no. is required to supply the right spare part code. Exploded view to be considered is the one with a more recent serial no. but previous than the one of the model that needs assistance.

4.Exploded views might require further updates even after publishing. Addition of new spares will go on following the already existing numeration references. Revision number of an exploded view is shown into last four digits of serial number into upper right hand corner.

5.The spare parts list associated to an exploded view shows related codes of spares managed for a certain model; for each spare part other informations are available:


REF: reference no of spare into a table; SUBSTITUTE: list of spare(s) which can replace a code but that keeps same functional characteristics

INDUSTRIAL CODE: list of variables of a model (shown into model label) where such spare is used; NOTICE: code of information(s) to refer to complete technical intervention, track for changes or to find correct spare part code.

6. Some notices, into a same section are generic therefore cannot be directly linked to a spare part. In order to assist a model in the best way as possible, it is helpful to pay attention to all notices and constantly verify documentation updates

7.Technical documentation cover shows model name and its commercial codes

2180120 Exploded views




2180120 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
000	C00089122				instruction book		
001	C00092829			1 x C00092836	side panel left grey		
001	C00092864				edge cover left white		
002	C00075715				rear cover		
003	C00033591				rear support - top		
004	C00083963				worktop grey		
005	C00057504				hook - top cover retention		
006	C00054831				catch plate (cabinet)	n1045057	
006	C00085024			1 x C00037135 1 x C00297907 1 x C00297909 1 x C00297910	catch plate (cabinet)		
007	C00054932				frame support for tub seal 60cm	n1045047	
007	C00141317				top and side door seal (1638mm)		
008	C00092830			1 x C00092836	side panel rh grey		
008	C00092863				edge cover right white		
009	C00054811				side support - front rh		
010	C00040994				upper basket wheel		
011	C00075718			1 x C00056396 1 x C00058164	upper basket 8/12 'indesit		
017	C00054825				lower basket		
017	C00091694				settore reclinabile cesto inferiore		
019	C00079023			1 x C00094297	cutlery basket		
020	C00054810			1 x C00091600	rear support - middle		
022	C00076660			1 x C00091601	lower rear support hot or cold		
023	C00076659			1 x C00143383	radio interference suppressor		
024	C00054830				drain hose fastener		
025	C00076359				base moulding cover plate rhs		
026	C00061989			1 x C00054874	tray kit	n1045062	
026	C00092554			1 x C00118842	tray on bottom of tub 60cm		
027	C00076358				plinth panel swell grey		
029	C00056010				foot support x		
030	C00104611				adjustable foot - all plastic		
031	C00065836			1 x C00143584	adjustable front foot + screw nut	n1045062	
031	C00092555				foot 155mm		

2180120 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
032	C00076360				base moulding cover plate lhs grey		
033	C00066632				fixing nut		
035	C00076390				front panel soundproofing l.i.60cm		
035	C00082394				front panel soundproofing		
036	C00076391				panel soundproofing lateral sx		
037	C00054812				side support - front lh		
038	C00066629				post piece		
039	C00076387				soundproofing lh		
040	C00054836				kit runner support - upper		
041	C00079013				door spring adjuster		
042	C00076388				soundproofing lateral dx		
043	C00104638				basket roller axis		
044	C00056347				lower basket wheel		
045	C00040996				runner stop - upper basket		
046	C00077001				basket runner - upper		
047	C00076392				panel soundproofing lateral dx		
048	C00091599			1 x C00119016	front support lower 60cm		

2180230 Exploded views




2180230 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
001	C00056001				upper wash arm feed pipe		
002	C00054925				upper was basket guide casing		
003	C00054862			1 x C00144315	ring-nut fasten.external hose top		
004	C00075686			1 x C00285074	jet gasket		
005	C00054871			1 x C00094134	water supply distribution assembly	n1045084	
006	C00056342				steel pin fixing upper wash arm	n1045084	
007	C00054926			1 x C00110526	upper wash arm feed pipe	n1045084	
				1 x C00110527			
008	C00075746				upper wash arm curved set		
012	C00083706			1 x C00143371	supply cable schuko		
				1 x C00144229			
017	C00063788			1 x C00097871	lock nut m8 inox		
018	C00063790				washer d.8 mm inox		
019	C00063792				seal o-ring		
020	C00063791				temperature sensor		
021	C00041086				thermostat safety 78ønc (dw)		
022	C00054854				sump fixing ferrule		
023	C00054828				gasket - sump fixing ring		
025	C00084835			1 x C00090537	drain pump 230v 50hz		
026	C00054917				seal 'o'ring (23,81x2,62)		
027	C00084421				set sump		
028	C00054869				drain hose		
029	C00081162				container - overflow unit		
030	C00037205			1 x C00143107	microswitch		
031	C00058843				float - overflow unit		
033	C00066470				tube 620mm - pressure switch		
034	C00076622				wheelpressure switch hose		
035	C00044542			1 x C00041237	softener assy + ev		
036	C00054841			1 x C00063834	pressure switch 1 level		
037	C00041088				salt cap		
038	C00073917				clamp for pump cover		
039	C00079016				pipe rubber sump-pump		
041	C00005819				salt funnel		
042	C00041090			1 x C00144235	retaining ring - softener		
046	C00054868				tube - softener/sump l.(480mm)		

2180230 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
047	C00074714				terminal protection - heating		
047	C00086801				protection electrovalve		
048	C00092578				electrovalve 1e 1u		
050	C00042134			1 x C00009415	mains inlet hose h/c-10bar 90ø		
051	C00018315			1 x C00005781	sealing washer+filter - mains inlet		
054	C00076627				wash motor/pump assy 220v-60w		
057	C00076628				tub spring		
059	C00080518				container connection overflow		
060	C00075695				connection gasket overflow		
061	C00075726				bodytop overflow		
062	C00075057			1 x C00075111	cap corner for support washing		
063	C00066643			1 x C00075111	support - lower wash arm bush		
064	C00066642			1 x C00075111	ring-nut for fastening bottom		
065	C00075108				lower wash arm inox 60cm		
066	C00054927			1 x C00144335	ring-nut for air-flow body		
069	C00054866				water inlet air break		
074	C00046319			1 x C00066598	heating element 2000w/230v		
075	C00054872				support bracket - heating element		
078	C00054863			1 x C00142344	central filter		
079	C00054851			1 x C00145075	outlet filter stainless lvs2000		
080	C00081164			1 x C00142344	filter cylindrical		
081	C00061929				outer fine rotating polyester filter		
084	C00076233				pump junction pipe		
086	C00055005				pump cover		
087	C00054850			1 x C00093752	ring-nut for fastening bottom	n1045063	
087	C00093752				suction assembly moulded		
088	C00054915				seal 'o'ring (32,99x2,62)	n1045063	
093	C00098769				upper wash arm seal		
099	C00075678				clamp for electrovalve evo3		
099	C00075879				clamp		
099	C00084479				hose clamp		
099	C00084600				o ring seal 38 mm		

2180340 Exploded views



2180340 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
002	C00075748				detergent + rinseaid		
004	C00075740				red pilot lamp elliptical		
005	C00041184				on-off switch (double pole) (dw)		
006	C00041194				microswitch		
007	C00075736				door closure	n1045057	
007	C00085357				door lock assembly		
009	C00088263				pilot lamp wired		
010	C00085028			1 x C00096972	timer bit100 'a' + n1045048		
012	C00089123				wiring harness assembly		
013	C00087258				selector 8x360		
014	C00087256				pilot lamp lens indesit		
015	C00089452				silver dashboard	n1045057	
015	C00093911				silver dashboard		
016	C00104581				spring knob		
017	C00077207				timer knob - grey silver fiat 647		
018	C00080703				pushbutton grey		
019	C00066657				white door shell bowed grey silver		
020	C00065127			1 x C00054815	hinge item, right		
021	C00054818			1 x C00096996	hinge assembly		
022	C00058776				washer d = 6 mm		
023	C00048504				hinge pin		
024	C00065128			1 x C00054817	hinge item, left		
025	C00075689				door spring		
026	C00075693				gaffel x door spring		
028	C00080411				door spacer assy		
029	C00075690			1 x C00091543	cabinet gasket		
030	C00082402			1 x C00092513	inner door panel stainless	n1045057	
030	C00092524				inner door panel stainless		
032	C00082457				sponge		
099	C00033026			1 x C00292523	ambljgon grease ta 100 gr.		
099	C00040288			1 x C00037135	lock nut m4		
099	C00063788			1 x C00097871	lock nut m8 inox		
099	C00063790				washer d.8 mm inox		
099	C00076108			1 x C00012687	screw canoe klip		
099	C00082166				rivet		

2180340 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
099	C00084911			1 x C00304782	screw 3.5x9.5		

Notices

n1045057: Modification sealing group

All dishwasher models affected by this modification have been equipped with the sealing group.
This modification involves the introduction of the following parts:
-new catch plate sat code 085024;
-new lock group sat code 085357;
-new control panel;
-new inside door.
The following is a list of affected models with related serial numbers d’ introduction modification, related control panels and inside doors.

LVI12-52WH commercial code 23474
Modification introduction serial number: 20502.0001
New control panel 090478–new inside door 087026

LVI12-52AN commercial code 23475
Modification introduction serial number: 20503.0001
New control panel 090479-new inside door 087026

LVI12-42W commercial code 23470
Modification introduction serial number: 20502.0001
New control panel 090480-new inside door 086487

LVI12-42TW/B commercial code 24936
Modification introduction serial number: 20503.0001
New control panel 090486-new inside door 086487

LVI12-42IX commercial code 23473
Modification introduction serial number: 20507.0001
New control panel 090487-new inside door 086487

LVI12-42A commercial code 23471
Modification introduction serial number: 20502.0001
New control panel 090488-new inside door 086487

LVI12-42TA/B commercial code 24935
Modification introduction serial number: 20502.0001
New control panel 090489-new inside door 086487

LVI12-52IX commercial code 23476
Modification introduction serial number: 20502.0001

New control panel 090490-new inside door 087026

DV62WH commercial code 24392
Modification introduction serial number: 20620.0001
New control panel 090558-new inside door 085023

DV62WHUK commercial code 24992
Modification introduction serial number: 20630.0001
New control panel 090558-new inside door 085023

DV64AWH commercial code 24397
Modification introduction serial number: 20722.0001
New control panel 090564-new inside door 085023

DV62BK commercial code 24391
Modification introduction serial number: 20729.0001
New control panel 090565-new inside door 085023

DV62BKUK commercial code 24993
Modification introduction serial number: 20624.0001
New control panel 090565-new inside door 085023

DV64ABK commercial code 24396
Modification introduction serial number: 20620.0001
New control panel 090560-new inside door 085023

DV62IX commercial code 24394
Modification introduction serial number: 20708.0001
New control panel 090561-new inside door 085023

DV64AIX commercial code 24395
Modification introduction serial number: 20709.0001
New control panel 090562-new inside door 085023

DV62KIXUK commercial code 24994
Modification introduction serial number: 20710.0001
New control panel 090566-new inside door 085023

D63FR commercial code 23458
Modification introduction serial number: 20606.0001
New control panel 090759-new inside door 090760

DI67SUK commercial code 27984
Modification introduction serial number: 20627.0001
New control panel 091217-new inside door 091212

DI72TK commercial code 23500
Modification introduction serial number: 20614.0001
New control panel 090308-new inside door 089837

DI72EU/B commercial code 24944
Modification introduction serial number: 20611.0001
New control panel 090308-new inside door 089837

DI67UK commercial code 27215
Modification introduction serial number: 20611.0001
New control panel 091227-new inside door 091212

DI74FR commercial code 27217
Modification introduction serial number: 20611.0001
New control panel 091228-new inside door 089837

DI72SIEU/B commercial code 24945
Modification introduction serial number: 20716.0001
New control panel 089838-new inside door 089837

DE74EU commercial code 24432
Modification introduction serial number: 20715.0001
New control panel 091234-new inside door 089837

DE73UK commercial code 24455
Modification introduction serial number: 20708.0001
New control panel 091238-new inside door 091212

DE74IT commercial code 24937
Modification introduction serial number: 20715.0001
New control panel 091239-new inside door 091212

DE75NL commercial code 26066
Modification introduction serial number: 20611.0001
New control panel 091240-new inside door 091212

DE74SIIT commercial code 24433
Modification introduction serial number: 20629.0001
New control panel 091242-new inside door 091212

D61SP commercial code 23453
Modification introduction serial number: 20620.0001
New control panel 091243-new inside door 090760

D61Z commercial code 23509
Modification introduction serial number: 20620.0001
New control panel 091246-new inside door 090760

D61EX50-60 commercial code 23510
Modification introduction serial number: 20620.0001
New control panel 091246-new inside door 090760

D61EU commercial code 23485
Modification introduction serial number: 20620.0001
New control panel 091246-new inside door 090760

D61UK commercial code 23454
Modification introduction serial number: 20620.0001
New control panel 091247-new inside door 090760

D60TK commercial code 24953
Modification introduction serial number: 20701.0001
New control panel 091248-new inside door 090760

D61DE commercial code 24949
Modification introduction serial number: 20620.0001
New control panel 091249-new inside door 090760

DHA66SP commercial code 25890
Modification introduction serial number: 20620.0001
New control panel 091250-new inside door 089837

DA635SP commercial code 25821
Modification introduction serial number: 20620.0001
New control panel 091252-new inside door 089837

DA62SIDE commercial code 24951
Modification introduction serial number: 20828.0001
New control panel 091253-new inside door 090760

D62SIEU commercial code 24924
Modification introduction serial number: 20728.0001
New control panel 091254-new inside door 090760

D63IT commercial code 23460
Modification introduction serial number: 20620.0001
New control panel 091255-new inside door 090760

D65FR commercial code 27727
Modification introduction serial number: 20625.0001
New control panel 090781-new inside door 089837

D64EU commercial code 23462
Modification introduction serial number: 20620.0001
New control panel 091257-new inside door 089837

DA645SP commercial code 25823
Modification introduction serial number: 20831.0001
New control panel 091258-new inside door 089837

DA6421SP commercial code 25888
Modification introduction serial number: 20626.0001
New control panel 091259-new inside door 090760

DA635SSP commercial code 25822
Modification introduction serial number: 20919.0001
New control panel 091260-new inside door 089837

D63SUK commercial code 25133
Modification introduction serial number: 20717.0001
New control panel 091261-new inside door 089837

D66SUK commercial code 27220
Modification introduction serial number: 20620.0001
New control panel 091263-new inside door 089837

D62TK commercial code 24954
Modification introduction serial number: 20620.0001
New control panel 091264-new inside door 090760

D62SK commercial code 25117
Modification introduction serial number: 20701.0001
New control panel 091265-new inside door 090760

D63UK commercial code 23463

Modification introduction serial number: 20718.0001
New control panel 091266-new inside door 089837

D63EU commercial code 23456
Modification introduction serial number: 20620.0001
New control panel 091267-new inside door 090760

DA62SP commercial code 23455
Modification introduction serial number: 20701.0001
New control panel 091268-new inside door 090760

D62EU commercial code 24920
Modification introduction serial number: 20620.0001
New control panel 091269-new inside door 090760

DA62DE commercial code 24950
Modification introduction serial number: 20620.0001
New control panel 091270-new inside door 090760

DHA65SP commercial code 25889
Modification introduction serial number: 20620.0001
New control panel 091271-new inside door 090760

D61EX commercial code 27916
Modification introduction serial number: 30224.0001
New control panel 093905-new inside door 090760

DB1IT commercial code 27941
Modification introduction serial number: 30224.0001
New control panel 093906-new inside door 090760

D62A commercial code 27931
Modification introduction serial number: 30224.0001
New control panel 093907-new inside door 090760

D70IT commercial code 27948
Modification introduction serial number: 30224.0001
New control panel 093908-new inside door 090760

DI73IT commercial code 27191
Modification introduction serial number: 30224.0001
New control panel 093909-new inside door 092524

DI74EL commercial code 27932
Modification introduction serial number: 30224.0001
New control panel 093910-new inside door 091212

DI71SIIT commercial code 27949
Modification introduction serial number: 30224.0001
New control panel 093911-new inside door 092524

DI71IT commercial code 27190
Modification introduction serial number: 30224.0001
New control panel 093913-new inside door 092524

D61PSP commercial code 24178
Modification introduction serial number: 30316.0001

New control panel 094375-new inside door 094376

DG6EU commercial code 23452
Modification introduction serial number: 30402.0001
New control panel 095482-new inside door 094376

DA635PSP commercial code 25820
Modification introduction serial number: 30402.0001
New control panel 095483-new inside door 095480

n1045062: Introduction of a new DW EVO structure

From serial number 30101.0001, all dishwasher models affected by this modification have been produced with EVO structure. These models have been equipped with NEW TRAYS AND NEW FEET (see N1045062TAB1).

The structure for SCANDINAVIA models is indicated below:

COMMERCIAL CODE 28490-26043-23520-28088:

PREMODIFICATION:
Tray: 083625 (for commercial code 28490) 078809 (for commercial codes 26043-23520-28088);
Tray rear feet: 078396-078397-078385;
Tray front feet: 073972;
Front feet supports: 065836(Rohs 143584);
Feet supplied with plinth accessories assembly: 034261;

EVO STRUCTURE:
Tray: 092558 (for commercial code 28490) 092554 (for commercial code 26043-23520-28088);
Tray rear feet: 092820-092821-092822;
Tray front feet: 092555;
Front feet supports: 065836;
Feet supplied with plinth accessories assembly: 034261.

COMMERCIAL CODE 25117:

PREMODIFICATION:
Tray: 061991;
Tray feet: 073972;
Feet supplied with plinth accessories assembly: 034261;

EVO STRUCTURE:
Tray: 092554;
Tray feet: 092555;
Feet supplied with plinth accessories assembly: 034261.

Photo N1045062FIG1 illustrates the bottom of the dishwasher with EVO structure.

Regulation assembly DX/SX Sat codes 078397 and 078396 will be managed up to stock end, after that they will be replaced by new Sat codes 092821 and092820. The same is for rear foot Sat code 078385 which will be replaced by Sat code 092822.

N1045062TAB1 - DEU


			< M.30101.0001	> M.30101.0001
60 CENTIMETRI	Standgerat	Bodenwanne kit	061989	092554
		Stellfuss vorne	104611	
		Stellfuss hinten	065836	092555
	Einbaugerat ohne Hohenregulierung von vorn	Bodenwanne kit	061991	092554
		4 stellfuss vorne / hinten	073972	092555
	Einbaugerat mit hohenregulierung von vorn 110/140 mm	Bodenwanne kit	078809	092554
		Rechte fusseinstellungseinheit	078397	092821
		Linke fusseinstellungseinheit	078396	092820
		Stellfuss hinten	078385	092822
		Stellfuss vorne	073972 (110 mm) / 085356 (140 mm)	092555

			< M.30101.0001	> M.30101.0001
45 CENTIMETRI	Standgerat	Bodenwanne kit	063809	092558
		Stellfuss vorne	104611	
		Stellfuss hinten	065836	092555
	Einbaugerat ohne Hohenregulierung von vorn	Bodenwanne kit	064463	092558
		4 stellfuss vorne / hinten	073972	092555
	Einbaugerat mit hohenregulierung von vorn 110/140 mm	Bodenwanne kit	083625 (110 mm) / 087325 (140 mm)	092558
		Rechte fusseinstellungseinheit	078397	092821
		Linke fusseinstellungseinheit	078396	092820
		Stellfuss hinten	078385	092822
		Stellfuss vorne	073972 (110 mm) / 085356 (140 mm)	092555




N1045062TAB1 - FRA			< M.30101.0001	> M.30101.0001
LVS 60 CM	Pose Libre	Fond kit	061989	092554
		Pied avant	104611	
		Pied arrière	065836	092555
	Encastrable non régable	Fond kit	061991	092554
		4 pied avant / arrière	073972	092555
	Encastrable Régable 110/140 mm	Fond kit	078809	092554
		Ensemble reglage pied droit	078397	092821
		Ensemble reglage pied gauche	078396	092820
		Pied arrière	078385	092822
		Pied avant	073972 (110 mm) / 085356 (140 mm)	092555
			< M.30101.0001	> M.30101.0001
LVS 45 CM	Pose Libre	Fond kit	063809	092558
		Pied avant	104611	
		Pied arrière	065836	092555
	Encastrable non régable	Fond kit	064463	092558
		4 pied avant / arrière	073972	092555
	Encastrable Régable 110/140 mm	Fond kit	083625 (110 mm) / 087325 (140 mm)	092558
		Ensemble reglage pied droit	078397	092821
		Ensemble reglage pied gauche	078396	092820
		Pied arrière	078385	092822
		Pied avant	073972 (110 mm) / 085356 (140 mm)	092555

N1045062TAB1 - ENG			< M.30101.0001	>M.30101.0001
LVS 60 CM	Free Standing	Tray kit	061989	092554
		Front foot	104611	
		Rear foot	065836	092555
	Not regulable Built in	Tray kit	061991	092554
		4 foot front / reat	073972	092555
	Regulable Built in 110/140 mm	Tray kit	078809	092554
		Rear foot adjustment assembly DX	078397	092821
		Rear foot adjustment assembly SX	078396	092820
		Rear foot	078385	092822
		Front foot	073972 (110 mm) / 085356 (140 mm)	092555
			< M.30101.0001	>M.30101.0001
LVS 45 CM	Free Standing	Tray kit	063809	092558
		Front foot	104611	
		Rear foot	065836	092555
	Not regulable Built in	Tray kit	064463	092558
		4 foot front / reat	073972	092555
	Regulable Built in 110/140 mm	Tray kit	083625 (110 mm) / 087325 (140 mm)	092558
		Rear foot adjustment assembly DX	078397	092821
		Rear foot adjustment assembly SX	078396	092820
		Rear foot	078385	092822
		Front foot	073972 (110 mm) / 085356 (140 mm)	092555



n1045063: Introduction of coupling+ring nut Sat code 093752

From serial number 30224.0001, all dishwashers affected by this modification have been equipped with the new coupling+ring nut assembly Sat code 093752, in place of coupling Sat code 079016, ring nut Sat code 054850 and gasket Sat code 054915.



N1045062TAB1 - SPA			Menor (<) M.30101.0001	Mayor (>) M.30101.0001
60 CENTIMETRI	Libre Instalacion	Bandeja	061989	092554
		Pata delantera	104611	
		Pata trasera	065836	092555
	Encastre no Regulable	Bandeja	061991	092554
		4 patas trasera / delantera	073972	092555
	Encastre Regulable 110/140 mm	Bandeja	078809	092554
		Conjunto regulacion DX	078397	092821
		Conjunto regulacion SX	078396	092820
		Pata trasera	078385	092822
		Pata delantera	073972 (110 mm) / 085356 (140 mm)	092555
45 CENTIMETRI			Menor (<) M.30101.0001	Mayor (>) M.30101.0001
	Libre Instalacion	Bandeja	063809	092558
		Pata delantera	104611	
		Pata trasera	065836	092555
	Encastre no Regulable	Bandeja	064463	092558
		4 patas trasera / delantera	073972	092555
	Encastre Regulable 110/140 mm	Bandeja	083625 (110 mm) / 087325 (140 mm)	092558
		Conjunto regulacion DX	078397	092821
		Conjunto regulacion SX	078396	092820
		Pata trasera	078385	092822
		Pata delantera	073972 (110 mm) / 085356 (140 mm)	092555

Ring nut Sat code 054850 will continue to be available from the spare parts warehouse while stocks last, and coupling Sat code 079016 will continue to be stocked because it is still used for the tank-volute connection.
Picture N1045063 illustrates the premodification structure in FIG1 and the new structure in FIG2.

N1045063




FIG. 1
STRUTTURA
PREMODIFICA





FIG. 2
NUOVA
STRUTTURA

Electric schemes and links

Cod. 16001536700



Legend

Legend: 16001536700

A..	Timer contact	LPA	Door open
AQS	Aquastop electrovalve	LPR	Prewash LED
B..	Timer contact	LRI	Rinse LED
C	Condensor	LS	Mains LED -Pilot lampe On/Off
C..	Timer contact	LSB	Polisher LED
CL	Slow cam	LSC	Cycle ranning lamp
CM	Wash pump motor connector	LSE	Acquastop LED
CN	Connector	LSS	Salt LED
CV	Fast cam	LV	Fan off lamp
D-ED	Dispenser - Electric dosing device	M	Terminal box
D..	Timer contact	MB	Polisher dip-switch
DB	Brightener dispenser	ME	Acquastop dip-switch
DD	Display - Detergent dispenser	ML	Wash motor
E1	Cold water electrovalve	MM	Handle dip-switch
E2	Regeneration electrovalve	MP	Door dip-switch
E3	Hot water electrovalve	MR	Delay-timer motor - Terminal board
ECO	Saving switch	MT	Timer motor
ED	Detergent/Brightener dispenser	MTR	Fast forward timer motor
EV1	Cold water electrovalve MM- Handle dip-switch	MV	Motor fan
EV1/2	Half-load electrovalve	P	Pressure switch
EV2	Regeneration electrovalve	P..	Pressure switch contact
EV3	Hot water electrovalve	P1	Stage 1 pressure
EVC	Hot water electrovalve	P2	Stage 2 pressure switch
EVF	Cold water electrovalve	PAP	High pressure switch
EVR	Regeneration water electrovalve	PO	Overflow pressure switch
F	Anti-interference filter ML- Wash motor	PS	Drain pump
FA	Radio interferences	PULS	Push-button panel
I1	On/Off switch - Plus cycle switch -IEC cycle	R	Heating element
I1/2	Switch half-load	R.D.	Delay rotary selector
I2	Fast switch -IEC cycle switch (standard) -	RA	Heating element drying
I2H	2-hour delay switch	ROT D	Delay rotary selector
I3	Saving switch- Switch for cycle with no pre-	ROT.	Rotary selector
I4	Switch for cycle fresh dirty	S	Motor overload cutout

I4H	4-hour delay switch	SC	Selector cycli
I5-ICR	Fast cycle switch	SS	Salt detector
I6	Soak cycle switch	ST	START
I6H	6-hour delay switch	T..	Delay-tymer contact
IAQS	Aquastop switch	T1	Power supply earth cable -Thermostat 45?C
ID	Switch display	T2	Lid earth -Thermostat 55?C
IE	Saving switch	T3	Timer earth -Thermostat 65?C
IEXD	Exstra dray switch	T36	36?C N.O. Thermostat
IG	Main switch	T4	Heating element earth
IMV	Off motor fan switch	T46	46?C N.O. Thermostat
IP	High temperature switch	T5	Drain pump earth
IS	Cut-off switch	T57	57?C N.O. Thermostat
ISB	Polisher led switch	T6	Wash motor earth
ISS	Salt LED switch	T8	External lid earth
ITR	Heating element switch	TE	Relay switch
L	Mains LED	THP	Thermoprotector
L1	Cycle 1 lamp	TM	Timer
L1/2	Lamp cjcle half-load	TS	Safety thermostat
L2	Cycle 2 lamp	TS 40	Thermostat 40 ?C
L3	Cycle 3 lamp	TS 50	Thermostat 50 ?C
L4	Cycle 4 lamp	TS 62	Thermostat 62 ?C
L5	Cycle 5 lamp	TS1	Min. temperature thermostat
L6	Cycle 6 lamp	TS2	Max. temperature thermostat
LA	Drying LED	TT	Terminal box support earth
LAQ	Aquastop on lamp	Tcp	nner-door earthing connection
LC	Cycle ranning lamp	Tfa	Radio interference
LD	Delay activated lamp	Tml	Pump wash motor earthing connection
LE	Saving cycle	Tpg	Large door earthing connection
LH2	2-hour delay lamp	Tpi	Inspection door earthing connection
LH4	4-hour delay lamp	Tpr	Pressure switch
LH6	6-hour delay lamp	Tps	Discharge pump earthing connection
LL	Wash LED	Tr	Heating element
LP	High temperature LED	Tte	Delay-timer earthing connection

Electric schemes and links

Cod. lg037400

BASIC LINEAR DIAGRAM

LG 037400=16001381700

CYCLE LINEAR DIAGRAM

Washing phases	Intensive	Normal	Fast 45'	Cotton	Cold drying	Extra	Soak	Pressure switch	Temperature	Alternate	Assigned time	Cycle description
Prewash	X	X	X	X	X	X	X	V		Pos.0	60"	Drain
	X	X	X					F			23"	Load plus time
	X	X	X					F		Pos.0	2'	Dynamic load plus top-up
		X								Table2	28'	Maintain
			X							Table2	6'	Maintain
		X	X	X				V		Pos.0	60"	Drain
		X	X					F			20"	Load plus time
		X	X					F		Pos.0	2'	Dynamic load plus top-up
										Table2	6'	Maintain
		X								Table2	9'	Maintain
	X								45°C	Table2		Heating
Wash	X	X	X					V		Pos.0	60"	Drain
	X	X	X	X	X	X	X	F			23"	Load plus time
	X	X	X	X	X	X	X	F		Pos.0	2'	Dynamic load plus top-up
	X	X	X	X	X	X	X				60"	Detergent infeed
							X			Pos.0	60"	Regenera. infeed
						X	X		45°C	Table3		Heating
			X						54°C	Table3		Heating
		X			X				60°C	Table3		Heating
	X								65°C	Table3		Heating
							X			Table3	1'	Maintain
					X					Table3	4'	Maintain
				X						Table3	10'	Maintain
			X							Table3	10'	Maintain
		X								Pos.0	28'	Maintain
		X					X	V		Pos.0	60"	Drain
							X	F		Pos.0		Load for resin wash
							X	V		Pos.0	60"	Drain
							X	F		Pos.0		Load for resin wash
		X								Pos.0	15"	Load for collection unit wash
	X									Pos.0	4'	Maintain
Rinses	X	X	X	X	X	X	X	V		Pos.0	60"	Drain
				X				F		Pos.0		Load plus 3 litres
				X						Pos.0	3'	Pulse phase 15cm15off
				X						Table2	8'	Maintain
	X	X				X	X	F			20"	Load plus time
	X	X				X	X	F		Pos.0	2'	Dynamic load plus top-up
						X	X			Table2	10'	Maintain
	X									Table2	6'	Maintain
	X			X	X	X	X	V		Pos.0	60"	Drain
	X	X	X	X	X			F			20"	Load plus time
	X	X	X	X	X			F		Pos.0	2'	Dynamic load plus top-up
	X	X	X	X	X						0.3"	Detergent reset
	X	X	X	X	X						60"	Regenerates
	X	X	X	X	X				59°C	Pos.0		Heating
	X	X	X	X	X					Table2	60"	Rinse aid infeed
	X	X	X	X	X				67°C	Pos.0		Heating
	X	X	X	X	X					Pos.0	4'	Maintain
Drying	X	X	X	X	X						50'	With extra drying
	X	X	X	X	X						20'	With normal drying
	X	X	X	X	X			V		Pos.0	60"	Drain
	X	X	X	X	X						15"	Load for resin wash
	X	X	X	X	X			V		Pos.0	30"	Drain
	X	X	X	X	X						60"	Pause
	X	X	X	X	X			V		Pos.0	30"	Drain
	X	X	X	X	X						15"	Load for resin wash
	X	X	X	X	X			V		Pos.0	30"	Drain
	X	X	X	X	X						60"	Pause
	X	X	X	X	X			V		Pos.0	30"	Drain
	X	X	X	X	X	X	X					Reset

Alternate table
Pos.o Washes on both collectors
Table2 Washes one minute above and two minutes below
Table3 Washes three minutes below and one minute above

Extra drying function
Pressing the button before the start of the cycle, the 50' extra drying function is activated (20' with water in basket, 20' without water and 10' of turbo drying).
Otherwise normal drying takes place: 20' with water in basket
To activate the extra drying function, press the extra button (a long beep signal will sound). When the extra drying function is deactivated a short beep signal sounds.
Of course, this must be done before the cycle starts.

LINEAR DIAGRAM FOR MACHINES WITH TURBIDITY SENSOR

CYCLE LINEAR DIAGRAM

Turbidity level	1	2	3	4	1	2	3	4	1	2	3	4	Pressure switch	Temperature	Alternate	Assigned time	Cycle description
Washing phases																	
Prewash	X	X	X	X	X	X	X	X	X	X	X	X	V		Pos.0	60"	Drain
	X	X	X	X	X	X	X	X	X	X	X	X	F			23"	Load plus time
	X	X	X	X	X	X	X	X	X	X	X	X	F		Pos.0	2'	Dynamic load plus top-up
				X	X	X	X	X							Table2	28'	Maintain
	X	X	X					X	X	X	X	X	V		Pos.0	6'	Maintain
	X	X	X	X	X	X	X						V		Pos.0	60"	Drain
	X	X	X	X	X	X	X						F			20"	Load plus time
	X	X	X	X	X	X	X						F		Pos.0	2'	Dynamic load plus top-up
				X											Table2	2'	Maintain
					X										Table2	2'	Maintain
						X									Table2	2'	Maintain
															Table2	6'	Maintain
															Table2	6'	Maintain
	X													30°C	Table2		Heating
		X												41°C	Table2		Heating
			X											43°C	Table2		Heating
														45°C	Table2		Heating
Wash	X	X	X	X	X	X	X	X	X	X	X	X	V		Pos.0	60"	Drain
	X	X	X	X	X	X	X	X	X	X	X	X	F			20"	Load plus time
	X	X	X	X	X	X	X	X	X	X	X	X	F		Pos.0	2'	Dynamic load plus top-up
	X	X	X	X	X	X	X									60"	Detergent infeed
							X							44°C	Pos.0		Heating
						X		X						46°C	Pos.0		Heating
							X		X					48°C	Pos.0		Heating
										X				50°C	Pos.0		Heating
				X										41°C	Pos.0		Heating
					X									43°C	Pos.0		Heating
						X								45°C	Pos.0		Heating
							X							48°C	Pos.0		Heating
		X												51°C	Table3		Heating
			X											50°C	Table3		Heating
				X										52°C	Table3		Heating
					X									65°C	Table3		Heating
						X									Table3	11'	Maintain
							X								Table3	13'	Maintain
								X							Table3	14'	Maintain
									X						Table3	10'	Maintain
				X											Pos.0	28'	Maintain
					X										Pos.0	22'	Maintain
						X									Pos.0	25'	Maintain
							X								Pos.0	28'	Maintain
				X	X	X	X						V		Pos.0	60"	Drain
					X	X	X						V		Pos.0		Load for resin wash
					X	X	X						V		Pos.0	60"	Drain
					X	X	X						F		Pos.0		Load for resin wash
	X	X	X	X											Pos.0		Maintain
Rinses	X	X	X	X	X	X	X	X	X	X	X	X	F		Pos.0	60"	Drain
									X	X	X	X	F		Pos.0		Load plus 3 litres
	X	X	X						X	X	X	X	F			20"	Load plus time
	X	X	X						X	X	X	X	F		Pos.0	2'	Dynamic load plus top-up
	X	X													Table2	4'	Maintain
		X													Table2	5'	Maintain
			X						X	X	X	X			Table2	6'	Maintain
	X	X	X						X	X	X	X	V		Pos.0	60"	Drain
	X	X	X	X	X	X	X	X	X	X	X	X	F			20"	Load plus time
	X	X	X	X	X	X	X	X	X	X	X	X	F		Pos.0	2'	Dynamic load plus top-up
	X	X	X	X	X	X	X	X	X	X	X	X				0.3"	Detergent reset
	X	X	X	X	X	X	X	X	X	X	X	X				60"	Regenerates
	X	X	X	X	X	X	X	X	X	X	X	X		50°C	Pos.0		Heating
	X	X	X	X	X	X	X	X	X	X	X	X			Table2	60"	Rinse aid infeed
	X			X			X							58°C	Pos.0		Heating
		X			X			X						61°C	Pos.0		Heating
			X			X			X					64°C	Pos.0		Heating
				X			X			X				67°C	Pos.0		Heating
					X			X			X				Pos.0	4'	Maintain
	X	X	X	X	X	X	X	X	X	X	X	X				50'	With extra drying
Drying	X	X	X	X	X	X	X	X	X	X	X	X				20'	With normal drying
	X	X	X	X	X	X	X	X	X	X	X	X	V		Pos.0	60"	Drain
	X	X	X	X	X	X	X	X	X	X	X	X				15"	Load for resin wash
	X	X	X	X	X	X	X	X	X	X	X	X	V		Pos.0	30"	Drain
	X	X	X	X	X	X	X	X	X	X	X	X				60"	Pause
	X	X	X	X	X	X	X	X	X	X	X	X	V		Pos.0	30"	Drain
	X	X	X	X	X	X	X	X	X	X	X	X				15"	Load for resin wash
	X	X	X	X	X	X	X	X	X	X	X	X	V		Pos.0	30"	Drain
	X	X	X	X	X	X	X	X	X	X	X	X				60"	Pause
	X	X	X	X	X	X	X	X	X	X	X	X	V		Pos.0	30"	Drain
	X	X	X	X	X	X	X	X	X	X	X	X					Reset

Alternate table
Pos.o Washes on both collectors
Table2 Washes one minute above and two minutes below
Table3 Washes three minutes below and one minute above

Extra drying function
Pressing the button before the start of the cycle, the 50' extra drying function is activated (20' with water in basket, 20' without water and 10' of turbo-drying).
Otherwise normal drying takes place: 20' with water in basket
To activate the extra drying function, press the extra button (a long beep signal will sound). When the extra drying function is deactivated a short beep signal sounds.
Of course, this must be done before the cycle starts.

Legend

Legend: lg037400

A..	Timer contact	LPA	Door open
AQS	Aquastop electrovalve	LPR	Prewash LED
B..	Timer contact	LRI	Rinse LED
C	Condensor	LS	Mains LED -Pilot lampe On/Off
C..	Timer contact	LSB	Polisher LED
CL	Slow cam	LSC	Cycle ranning lamp
CM	Wash pump motor connector	LSE	Acquastop LED
CN	Connector	LSS	Salt LED
CV	Fast cam	LV	Fan off lamp
D-ED	Dispenser - Electric dosing device	M	Terminal box
D..	Timer contact	MB	Polisher dip-switch
DB	Brightener dispenser	ME	Acquastop dip-switch
DD	Display - Detergent dispenser	ML	Wash motor
E1	Cold water electrovalve	MM	Handle dip-switch
E2	Regeneration electrovalve	MP	Door dip-switch
E3	Hot water electrovalve	MR	Delay-timer motor - Terminal board
ECO	Saving switch	MT	Timer motor
ED	Detergent/Brightener dispenser	MTR	Fast forward timer motor
EV1	Cold water electrovalve MM- Handle dip-switch	MV	Motor fan
EV1/2	Half-load electrovalve	P	Pressure switch
EV2	Regeneration electrovalve	P..	Pressure switch contact
EV3	Hot water electrovalve	P1	Stage 1 pressure
EVC	Hot water electrovalve	P2	Stage 2 pressure switch
EVF	Cold water electrovalve	PAP	High pressure switch
EVR	Regeneration water electrovalve	PO	Overflow pressure switch
F	Anti-interference filter ML- Wash motor	PS	Drain pump
FA	Radio interferences	PULS	Push-button panel
I1	On/Off switch - Plus cycle switch -IEC cycle	R	Heating element
I1/2	Switch half-load	R.D.	Delay rotary selector
I2	Fast switch -IEC cycle switch (standard) -	RA	Heating element drying
I2H	2-hour delay switch	ROT D	Delay rotary selector
I3	Saving switch- Switch for cycle with no pre-	ROT.	Rotary selector
I4	Switch for cycle fresh dirty	S	Motor overload cutout

I4H	4-hour delay switch	SC	Selector cycli
I5-ICR	Fast cycle switch	SS	Salt detector
I6	Soak cycle switch	ST	START
I6H	6-hour delay switch	T..	Delay-tymer contact
IAQS	Aquastop switch	T1	Power supply earth cable -Thermostat 45?C
ID	Switch display	T2	Lid earth -Thermostat 55?C
IE	Saving switch	T3	Timer earth -Thermostat 65?C
IEXD	Exstra dray switch	T36	36?C N.O. Thermostat
IG	Main switch	T4	Heating element earth
IMV	Off motor fan switch	T46	46?C N.O. Thermostat
IP	High temperature switch	T5	Drain pump earth
IS	Cut-off switch	T57	57?C N.O. Thermostat
ISB	Polisher led switch	T6	Wash motor earth
ISS	Salt LED switch	T8	External lid earth
ITR	Heating element switch	TE	Relay switch
L	Mains LED	THP	Thermoprotector
L1	Cycle 1 lamp	TM	Timer
L1/2	Lamp cjcle half-load	TS	Safety thermostat
L2	Cycle 2 lamp	TS 40	Thermostat 40 ?C
L3	Cycle 3 lamp	TS 50	Thermostat 50 ?C
L4	Cycle 4 lamp	TS 62	Thermostat 62 ?C
L5	Cycle 5 lamp	TS1	Min. temperature thermostat
L6	Cycle 6 lamp	TS2	Max. temperature thermostat
LA	Drying LED	TT	Terminal box support earth
LAQ	Aquastop on lamp	Tcp	nner-door earthing connection
LC	Cycle ranning lamp	Tfa	Radio interference
LD	Delay activated lamp	Tml	Pump wash motor earthing connection
LE	Saving cycle	Tpg	Large door earthing connection
LH2	2-hour delay lamp	Tpi	Inspection door earthing connection
LH4	4-hour delay lamp	Tpr	Pressure switch
LH6	6-hour delay lamp	Tps	Discharge pump earthing connection
LL	Wash LED	Tr	Heating element
LP	High temperature LED	Tte	Delay-timer earthing connection