Whirlpool Europe
Customer Services

Whirlpool

Service Manual

Horizontal Freezer
AFG 074/G

Model AFG 074/G
Version 8549 074 01000

	Page
Technical data	2
Spare part list	3
Exploded view	4
Circuit diagram	5

This documentation is only intended for qualified technicians who are aware of the respective safety regulations.

Date: 16.07.1996
Document-No.: 4812 710 12244

Subject to modification

Technical data

Dimensions

Height	88,4	cm
Width	112	cm
Depth	64,2	cm

Capacity

Total gross	325	l
Total net	307	l

Electrical connection

Voltage	220-240	V
Frequency	50	Hz

Power consumption

in 24 hours	1,5	kWh

Compressor (for service)

Type	B 1116 Z	
Cooling capacity (CECOMAF)	136	W

Cooling agent

Type	R 134 a	
Quantity	150	g

Thermostat

Switch on temperature min.	- 14,0	˚C
Switch on temperature max.	- 23,5	˚C
Switch off temperature min.	- 20,0	˚C
Switch off temperature max.	- 29,5	˚C

Freezing capacity


in 24 hours	27	kg

Spare part list


Model **AFG 074/G**
Service No. **854907401000**
Version **854907401000**

Pos. No.	12NC Code	Description	from	to
012 0	**4819 528 78036**	Foot		
041 0	**4819 417 19151**	Hinge		
041 7	**4819 462 58187**	Cover,hinge		
041 8	**4819 462 58188**	Cover,hinge		
071 7	**4819 458 58384**	Grid,air		
101 0	**4819 442 68592**	Door, freezer		
105 4	**4819 466 98383**	Striker		
110 0	**4819 498 78155**	Handle		
111 0	**4819 498 78153**	Handle		
111 1	**4819 462 79905**	Cover		
130 2	**4819 417 38023**	Lock		
130 3	**4819 401 18332**	Hook		
130 5	**4819 462 58269**	Cover plate		
130 6	**4819 404 79248**	Support		
191 4	**4819 468 18201**	Gasket		
204 3	**4819 442 78229**	Separator		
241 0	**4819 458 19387**	Basket		
251 1	**4819 462 79928**	Cover,lamp		
252 0	**4819 464 18155**	Casing		
301 0	**4819 459 48781**	Frame		
321 0	**4819 381 18108**	Reflector gr.		
321 1	**4819 381 18135**	Reflector red		
335 0	**4819 411 28789**	Knob thermostat		
350 0	**4819 134 48272**	Pilot lamp		
402 0	**4819 360 38618**	Compressor B 1116 Z		
493 0	**4819 462 79046**	Lid f. connection block		
554 0	**4819 271 28766**	Thermostat A 1082 R4523		
561 0	**4819 282 28606**	Protect,motor AD19BJ4		
561 2	**4819 290 68198**	Case		
614 0	**4819 280 68313**	Relay PTC-Starting device		
620 0	**4819 276 18332**	Switch		
643 0	**4819 349 38136**	Meter,thermo		
651 0	**4819 134 88106**	Lamp E14-220V 15W		
652 0	**4819 255 18208**	Holder,lamp		
740 0	**4819 511 48539**	Condenser		
740 4	**4819 404 78438**	Fastener		
764 0	**4819 526 48527**	Dryer		
781 0	**4819 462 79295**	Panel		
934 2	**4819 492 68431**	Spring		
993 1	**4819 395 78011**	Shovel ice cube		

Exploded view




Circuit diagram



A PLUG
B CONNECTING BLOCK
D1 COMPRESSOR FREEZING
F STARTING RELAY
G OVERLOAD PROTECTOR
H1 THERMOSTAT FREEZING
N FAN
Q LAMP
R GREEN PILOT LAMP
R2 RED PIOLT LAMP
S SWITCH
S4 DOUBLE YELLOW LAMP SWITCH
X COMPRESSOR EARTHING
X1 THERMOSTAT EARTHING
X3 FAN MOTOR EARTHING

00 BLACK
11 BROWN
45 YELLOW / GREEN
66 BLUE
77 VIOLET
99 WHITE



4812 710 70005
4619 530 01820