


Model type:
WAX100EX

Commercial code:
F029468

# General notes

## Technical Documentation guidelines

---

---

You can find herewith some generic information to simplify cunsulting of technical documentation:

1. Models of same range share the same exploded views, which report the richest set of spare parts:generally, a model does not necessarly have a related spare part for each particular shown on exploded views.

2. Some spare parts can not be represented directly on the exploded views (instruction booklets, specific kit, etc...). You can find those codes in the spare parts list with the same reference of particular where spares are installed or with references 099, 999. Instruction booklets, once managed, appear with 000 reference.

3. On the higher right site of each exploded view there is a serial number which indicates the beginning of the production of certain range:some models might have more than an exploded view for a given category, each distinguished by a different serial no.and linked to another spare parts list, In this case, serial no. is required to supply the right spare part code. Exploded view to be considered is the one with a more recent serial no. but previous than the one of the model that needs assistance.

4.Exploded views might require further updates even after publishing. Addition of new spares will go on following the already existing numeration references. Revision number of an exploded view is shown into last four digits of serial number into upper right hand corner.

5.The spare parts list associated to an exploded view shows related codes of spares managed for a certain model; for each spare part other informations are available:


REF: reference no of spare into a table; SUBSTITUTE: list of spare(s) which can replace a code but that keeps same functional characteristics

INDUSTRIAL CODE: list of variables of a model (shown into model label) where such spare is used; NOTICE: code of information(s) to refer to complete technical intervention, track for changes or to find correct spare part code.

6. Some notices, into a same section are generic therefore cannot be directly linked to a spare part. In order to assist a model in the best way as possible, it is helpful to pay attention to all notices and constantly verify documentation updates

7.Technical documentation cover shows model name and its commercial codes


1230110 Exploded views



1230110 Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 000 | C00094801 | | | | user instruction book gb-f-e-gr-ar | | |
| 001 | C00075319 | | | | wash timer knob white | | |
| 002 | C00075318 | | | | control knob - white | | |
| 003 | C00075317 | | | | push button white | | |
| 004 | C00094802 | | | | control panel + handle | | |
| 005 | C00091758 | | | | white27 cabinet | n1040308 | |
| 005 | C00097793 | | | | white27 cabinet | n1040308 | |
| 006 | C00075320 | | | | door frame assy | | |
| 007 | C00075323 | | | | door handle kit | | |
| 008 | C00075324 | | | | plinth white | | |
| 009 | C00081702 | | | | front foot | | |
| 010 | C00059869 | | | | spring for foot d =11 mm h = 21 | | |
| 011 | C00019846 | | | | civata t 1/2 t m4x12 | | |
| 012 | C00075325 | | | 2 x C00096210<br>1 x C00255430 | hinge door 3.5 mm indesit | | |
| 013 | C00002497 | | | | nut m4x3,2x7 | | |
| 014 | C00081701 | | | | rear foot | | |
| 015 | C00046666 | | | | collar for drain hose | | |
| 015 | C00089419 | | | | blanking plug 6.5 mm | | |
| 016 | C00084817 | | | | blanking plate-rear(test plug) | | |
| 018 | C00081698 | | | 1 x C00116998 | rear cover - white27 | | |
| 019 | C00041575 | | | | adhesive hook | | |
| 020 | C00064550 | | | | drain hose holder | | |
| 022 | C00083290 | | | | top white 6kg | n1040308 | |
| 022 | C00097794 | | | 1 x C00118505 | top - white27 indesit big | n1040308 | |
| 099 | C00046667 | | | | wiring stop | | |
| 099 | C00082598 | | | | kit package | n1040308 | |
| 099 | C00098182 | | | | kit package | n1040308 | |

1230210 Exploded views



1230210 Spare parts list


| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 001 | C00091063 | | | | bolt torx m8x23 eslok | | |
| 002 | C00082812 | | | | belt 1061h8 (hl) | | |
| 003 | C00084026 | | | 1 x C00066080 | drum pulley d=210 mm h= 17mm | | |
| 004 | C00088392 | | | 1 x C00143744 | star wheel | | |
| 005 | C00013563 | | | | bearing fits light/heavy spider 25 | | |
| 006 | C00002591 | | | | bearing 20x47x14 | | |
| 007 | C00035999 | | | | seal bearing | | |
| 008 | C00055305 | | | | nut for clamping band tank front | | |
| 009 | C00055304 | | | | bolt for clamping band tank front | | |
| 010 | C00091062 | | | | self blocking nut ph | | |
| 013 | C00082325 | | | | upper counterweight 13,5 kg | | |
| 014 | C00041607 | | | | wascher nylon | | |
| 015 | C00052788 | | | | screw m8x55 ph | | |
| 016 | C00036066 | | | | tub cover gasket inox | | |
| 017 | C00064515 | | | | anchorage pad - suspension | | |
| 018 | C00082322 | | | | suspension spring - tank | | |
| 019 | C00074041 | | | | spring ring | | |
| 020 | C00088402 | | | 1 x C00095724 | tub inox wm6kg ph | n1040298 | |
| 020 | C00095724 | | | | tub inox wm6kg ph | n1040298<br>n1040310 | |
| 021 | C00081750 | | | | hose - detergent recovery | | |
| 022 | C00090145 | | | | bellows clamp (over centre) | | |
| 023 | C00081747 | | | | bellows seal | | |
| 024 | C00064546 | | | | clamping ring - door seal front | | |
| 025 | C00082326 | | | | front counterweight | | |
| 026 | C00051581 | | | | bolt m8x35 ph | | |
| 027 | C00083293 | | | | hose-tank to pump | | |
| 028 | C00030680 | | | 1 x C00040130 | nut m 10 | n1040310 | |
| 028 | C00098723 | | | | nut m 8 | n1040310 | |
| 029 | C00065152 | | | | nut romob m6x22x1,5 | | |
| 030 | C00093649 | | | | shock absorber 100n-2pin 10mm | n1040310 | |
| 030 | C00098722 | | | | shock absorber 100n-2pin 8mm | n1040310 | |
| 031 | C00030446 | | | | bolt m10 x 45 zntr | n1040310 | |
| 031 | C00098724 | | | | bolt m8 x 45 zntr | n1040310 | |
| 033 | C00064528 | | | | hose dispenser to tank | n1040298 | |

1230210 Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 033 | C00092161 | | | | hose dispenser to tank | n1040298 | |
| 034 | C00083703 | | | | drum | | |
| 035 | C00036065 | | | | clamping band tub front | | |
| 036 | C00088403 | | | | motor support bracket | n1040310 | |
| 099 | C00074054 | | | | binding | | |
| 099 | C00086579 | | | 1 x C00086582 | hose clamp | | |

1230310 Exploded views

Matr. 10419.0002



1230310 Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 001 | C00003070 | | | | mains inlet hose cold 25c 10bar | | |
| 001 | C00009415 | | | 1 x C00144176 | mains inlet hose hot 1500mm | | |
| 003 | C00005572 | | | | sealing washer-mains inlet hose | | |
| 005 | C00066514 | | | | electrovalve support 2 ev | | |
| 006 | C00091633 | | | | supply cable 3x1 schuko | | |
| 007 | C00019902 | | | | plastic -u- to make drain hose | | |
| 008 | C00027466 | | | | drain hose - to sink l=1860mm | | |
| 009 | C00082331 | | | 1 x C00064559 | radio interference suppressor | | |
| 010 | C00093287 | | | | wiring 3m+4t idc | | |
| 011 | C00083916 | | | | programme selector (idc elbi) (hl) | | |
| 012 | C00085195 | | | 1 x C00143096 | potentiometer 8 pos. idc rast 2,5 | | |
| 014 | C00084763 | | | | pilot light red 12 v idc rast 2.5 | | |
| 014 | C00089024 | | | | pilot light red 230v ra2,5 | | |
| 015 | C00063971 | | | | on-off switch | | |
| 015 | C00088394 | | | | push button switch na idc | | |
| 017 | C00064537 | | | 1 x C00263210 | support - pressure switch | | |
| 018 | C00088393 | | | | pressure switch 1 l. + | | |
| 019 | C00041785 | | | 1 x C00144077 | air trap hose 540 mm. | n1040277 | |
| 019 | C00051552 | | | | pipe pressostat | n1040277 | |
| 022 | C00019755 | | | | anti-vibration bush (foam) | n1040277 | |
| 022 | C00078221 | | | | tubetto spugn.40x5x30 | n1040277 | |
| 023 | C00053409 | | | | air trap | | |
| 024 | C00085194 | | | | door interlock | | |
| 025 | C00064950 | | | | self cleaning pump 240v./50hz. | | |
| 026 | C00045023 | | | | filter handle | | |
| 026 | C00045025 | | | | filter seal | | |
| 026 | C00045027 | | | | pump filter kit | | |
| 027 | C00074056 | | | | screw m4 x 8 | | |
| 028 | C00074055 | | | | support bracket - heating element | | |
| 029 | C00088218 | | | | heating element | | |
| 032 | C00040932 | | | | self locking nut m6 | | |
| 033 | C00082815 | | | | motor collet.ceset mca52-ph3 | n1040258 | |
| 036 | C00050187 | | | | fixing nut | | |
| 037 | C00090124 | | | | motor bolt | | |
| 038 | C00074151 | | | | rubber bush - motor mount | | |

1230310 Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 038 | C00104675 | | | | motor rubber bush | | |
| 039 | C00081720 | | | | motor stanchion | | |
| 040 | C00041611 | | | | screw 8x15 | | |
| 040 | C00082723 | | | | screw 6x40 | | |
| 041 | C00084838 | | | 1 x C00093157 | universal module (less eeprom) | | |
| 045 | C00075459 | | | | additive container | | |
| 046 | C00075352 | | | 1 x C00097732 | soap dispenser drawer | | |
| 047 | C00047069 | | | 1 x C00097834 | additive cover | | |
| 048 | C00046157 | | | | stopper detergent container | | |
| 049 | C00075351 | | | 1 x C00097732<br>1 x C00097835 | dispenser body | n1040298 | |
| 049 | C00092314 | | | | dispenser body | n1040298 | |
| 050 | C00083995 | | | | hopper cover 2e3u big | n1040308 | |
| 050 | C00097795 | | | | hopper cover 2e3u big | n1040308 | |
| 052 | C00094800 | | | | eeprom wax100ex evoi sw | | |
| 053 | C00064534 | | | | seal - dispenser to valve | | |
| 053 | C00066517 | | | | solenoid valve hot 1 way 5.5 lt | | |
| 053 | C00066518 | | | | solenoid valve 2 way | | |
| 054 | C00009416 | | | | y junction (water inlet fork) | | |
| 055 | C00083915 | | | | thermistor ntc | | |
| 099 | C00027230 | | | 1 x C00027231 | screw | | |
| 099 | C00051541 | | | | binding | | |
| 099 | C00061958 | | | | binding d=32,7 | | |

# Notices

## n1040211: Serial cable to connect the hardware key with the PC.

---

To connect the hardware key: LB2000 with the personal computer,you must use
a serial cable, pin to pin 9 pin F/F, to garantee the availability, it was
decided to manage it as a spare part.

The SAT code of the cable (length 2m) is 084943.

## n1040242: Power card with welded eeprom.

---

From serial number 20304.0001, IDC power card with welded eeprom is used to ensure the perfect connection of all parts, in the Comunanza, Teverola and Brembate factories.
To replace the module with welded eeprom, it will be necessary to use the eeprom indicated in the SAT document of the model concerned.
To replace the module on a unit with welded eeprom both the SAT module and the eeprom are required, because the latter cannot be reused.

## n1040277: Modification of pressure switch protection and tube

---

From serial no. 21104.0001, all washing machine models produced in the Brembate factory and relevant to this note have been equipped with a new pressure switch tube 041785 replacing 051552, a new pressure switch tube protection 019755 replacing 078221 and two plastic clamps replacing terminals 051541.
premodification parts will be managed until stocks run out and are interchangeable with the new ones only if used altogether.

## n1040298: Modification of s/steel tubs - dispensers - detergent loading tubes on Brembate

---

From serial number 30609.0001, all washing machines produced in the Brembate factory and affected by this note have been equipped with the new EVO2 detergent loading tube; the modification has also involved the tub (the detergent loading tube hole has been shifted forward) and dispenser.
The Sat codes of the new parts and the premodification items are given below:
DETERGENT LOADING TUBE (two instead of three):
-new 092161, premodification 064528;
-new 092273, premodification 080654;
-new 092161, premodification 074136;
DISPENSERS:
-for linear detergent drawer: new 092314, premodification 075351;
-for rotating detergent rotary drawer: new 092176, premodification 064529;
TUBS:
-new 095717, premodification 090589;
-new 095718, premodification 090934;
-new 095720, premodification 090206;
-new 095721, premodification 090321;
-new 095722, premodification 091050;
-new 095723, premodification 090588;
-new 095724, premodification 088402.
Regarding the detergent loading tubes and dispensers, the new and premodification parts will continue to be used.
The premodification tubs will be managed until stocks run out, after which, when a tub needs replacing on appliances prior to serial number 30609.0001, the new tub plus the new detergent loading tube and new dispenser must be used (refer to the replacement parts list for the relevant model).

## n1040308: Reduction of cabinet depth on 6kg EVOI washing machines produced at Brembate

---

From serial no. 30915.0001, all 6 kg washing machines affected by this note have been modified due to the reduction in cabinet depth.
The modified models have a new industrial code.
The parts affected by the modification are: cabinet, packing kit, top, product dispenser lid (including solenoid valve) and cabinet base plate (for USA models).
Regarding the packing kit, top, product dispenser lid and cabinet base plate, the Replacements Warehouse will continue to manage premodification and new parts.
The premodification cabinets will be managed while stocks last, after which, in case of cabinet replacement the new cabinet, top, product dispenser and cabinet base plate (USA models only) must be used, referring to the spare parts list for the relevant model.
Given below is a list of models affected by the modification with relevant new and premodification parts:

WAX120UK (industrial codes: new 91282540002, premodification 91282540001);
Cabinet: premodification 091758, new 097793;
Packing kit: premodification 095741, new 094777;
Top: premodification 083290, new 097794;
Product dispenser lid: premodification 083995, new 097795.

WAX100EX (industrial codes: new 91294680001, premodification 91294680000);
Cabinet: premodification 091758, new 097793;
Packing kit: premodification 082598, new 098182;
Top: premodification 083290, new 097794;

Product dispenser lid: premodification 083995, new 097795.

WAX80EX (industrial codes: new 91284150001, premodification 91284150000);
Cabinet: premodification 091758, new 097793;
Packing kit: premodification 082598, new 098182;
Top: premodification 083290, new 097794;
Product dispenser lid: premodification 083995, new 097795.

EZ1612VUSA (industrial codes: new 91281230001, premodification 91281230000);
Cabinet: premodification 090187, new 098181;
Cabinet base plate: premodification 091056, new 098183;
Packing kit: premodification 082598, new 098182;
Top assembly + plate: premodification 091201, new 098184;
Product dispenser lid: premodification 090211, new 098185.

WD2100USA (industrial codes: new 91280180101, premodification 91280180100);
Cabinet: premodification 090187, new 098181;
Cabinet base plate: premodification 091056, new 098183;
Packing kit: premodification 082598, new 098182;
Top assembly + plate: premodification 091201, new 098184;
Product dispenser lid: premodification 090211, new 098185.

EZ3612CEEUSA (industrial codes: new 91280710101, premodification 91280710100);
Cabinet: premodification 083287, new 098186;
Cabinet base plate: premodification 091056, new 098183;
Packing kit: premodification 082598, new 098182;
Top assembly + plate: premodification 091201, new 098184;
Product dispenser lid: premodification 090325, new 098187.

WDC6200CEEUSA (industrial codes: new 91280190001, premodification 91280190000);
Cabinet: premodification 083287, new 098186;
Cabinet base plate: premodification 091056, new 098183;
Packing kit: premodification 082598, new 098182;
Top assembly + plate: premodification 091201, new 098184;
Product dispenser lid: premodification 090325, new 098187.


## n1040310: Dampers with 8 mm fixing hole on machines produced in the Brembate factory.

---

From serial no. 31120.0001, dampers have been fixed to the bowl with an 8 mm diameter screw (code 098724) in place of the 10 mm screw (code 030446) and relevant locking nut code 098723 in place of code 030680, on front-load washing machines produced in the Brembate factory.
The spare part codes of the new dampers with 8 mm fixing hole are:
098721 (120N);
098722 (100N);
Premodification items with 10 mm hole spare part codes 093648 (120N) and 093649 (100N) will continue to be available.
The diameter of the damper fixing holes has been reduced on the motor/damper brackets (088403-090586) and s/steel bowls (095723-095724-095718-095717-095720-095721-095722) maintaining the same spare part code; the holes must be widened if necessary.

Electric schemes and links

Cod. 160016031-0



# Legend


Legend: 160016031-0

| | | | |
|---|---|---|---|
| AQS | Aquastop electrovalve | Mzbn/MTA | zbn timer motor |
| B | Buzzer | N | Neutral or Terminal Board |
| BC | Blocco Cesto | NC | Spin cycle exclusion |
| BF | Terminal board contact, motor fan and dryer | P | Pressure switch |
| BP | Buzzer | P1 | 1st level pressure cut-off switch |
| C | Condensator | P2 | 2nd level pressure cut-off switch |
| CA | Condensator | PA | High speed potentiometer |
| DV | Switching device | PB | Low speed potentiometer |
| EF/CL | Electro-Valve Cold Water / Bleach | PL | Pure Wool |
| EF/L | Electro-Valve Cold Water / Wash | PM | Motor Thermoprotector |
| EF/P | Electro-Valve Cold Water / Prewash | PR | Timer programmer or Pressure switch |
| ER | Exclude Heating Element | PS | Drain pump |
| ET | Thermostat disactivation | R | Heating element |
| EV | Electrovalve | RE | Relay |
| EVA | Dryer electrovalve | RR | Heating element |
| EVC | Hot water electrovalve | RV | Speed regulator |
| EVF | Elettrovalvola acqua fredda | Ras/RA | Dryer heating element |
| EVL | Wash electrovalve | S | LED |
| EVP | Pre Wash electrovalve | SL | Line LED |
| FA | Antijamming filter | SO | Door LED |
| FD | Delicate drying cycle thermostat | SR | Heating LED |
| FE | Strong drying cycle thermostat | ST | Temperature selector |
| FRT | Thermofusible Heating Element | SV | Speed Selector for Spin |
| I | Inverter | T | Timer contacts |
| I1..2..3.. | Switches/switching devices | TA | Drying timer contacts |
| IA | Switch On/Off | TB | Low Temperature Thermostat |
| IC | Switch N.C. - 1/2 Load | TC | Spider wheel earth |
| ID | Switch display | TFL | Flange earth |
| IE | Water Saving Device | TG | Main earth |
| IF | Switch - Spin Reduction | TH | Thermostat |
| IP | Door switch | TH1 | 1st temperature thermostat |
| IR | Line switch | TH2 | 2nd temperature thermostat |
| IS | Water-stop | TH3 | 3rd temperature thermostat |

| | | | |
|---|---|---|---|
| L | Line or Lamp | THF | Operating thermostat |
| LB | Low Level | THR | Adjustable thermostat |
| LN | Normal Level | TM | Motor earth |
| LS | Pilot lamp | TMB | Main cabinet earth |
| M | Earth-symbol | TMP | Motor thermal protector |
| MC | Spin cycle motor | TMS | Thermostop |
| MI | MOTOR WITH PULLEY | TP | Thermal protector |
| ML | Wash cycle motor | TPS | Drain pump earth |
| MO | Terminal Board | TR | Heating element earth |
| MP | Door dip-switch | TS | Safety thermostat |
| MR | Thermal Lock | TT | Timer earthing connection |
| MT | Timer motor | TTH | Earthing Thermostat |
| MV | Motor fan | TV | Tank earth |
| MV -Ras | Dryer heating element | ZBN | Timer |

## Electric schemes and links

Cod. 240000744-0



# Legend

Legend: 240000744-0

| | | | |
|---|---|---|---|
| AQS | Aquastop electrovalve | Mzbn/MTA | zbn timer motor |
| B | Buzzer | N | Neutral or Terminal Board |
| BC | Blocco Cesto | NC | Spin cycle exclusion |
| BF | Terminal board contact, motor fan and dryer | P | Pressure switch |
| BP | Buzzer | P1 | 1st level pressure cut-off switch |
| C | Condensator | P2 | 2nd level pressure cut-off switch |
| CA | Condensator | PA | High speed potentiometer |
| DV | Switching device | PB | Low speed potentiometer |
| EF/CL | Electro-Valve Cold Water / Bleach | PL | Pure Wool |
| EF/L | Electro-Valve Cold Water / Wash | PM | Motor Thermoprotector |
| EF/P | Electro-Valve Cold Water / Prewash | PR | Timer programmer or Pressure switch |
| ER | Exclude Heating Element | PS | Drain pump |
| ET | Thermostat disactivation | R | Heating element |
| EV | Electrovalve | RE | Relay |
| EVA | Dryer electrovalve | RR | Heating element |
| EVC | Hot water electrovalve | RV | Speed regulator |
| EVF | Elettrovalvola acqua fredda | Ras/RA | Dryer heating element |
| EVL | Wash electrovalve | S | LED |
| EVP | Pre Wash electrovalve | SL | Line LED |
| FA | Antijamming filter | SO | Door LED |
| FD | Delicate drying cycle thermostat | SR | Heating LED |
| FE | Strong drying cycle thermostat | ST | Temperature selector |
| FRT | Thermofusible Heating Element | SV | Speed Selector for Spin |
| I | Inverter | T | Timer contacts |
| I1..2..3.. | Switches/switching devices | TA | Drying timer contacts |
| IA | Switch On/Off | TB | Low Temperature Thermostat |
| IC | Switch N.C. - 1/2 Load | TC | Spider wheel earth |
| ID | Switch display | TFL | Flange earth |
| IE | Water Saving Device | TG | Main earth |
| IF | Switch - Spin Reduction | TH | Thermostat |
| IP | Door switch | TH1 | 1st temperature thermostat |
| IR | Line switch | TH2 | 2nd temperature thermostat |
| IS | Water-stop | TH3 | 3rd temperature thermostat |

| | | | |
|---|---|---|---|
| L | Line or Lamp | THF | Operating thermostat |
| LB | Low Level | THR | Adjustable thermostat |
| LN | Normal Level | TM | Motor earth |
| LS | Pilot lamp | TMB | Main cabinet earth |
| M | Earth-symbol | TMP | Motor thermal protector |
| MC | Spin cycle motor | TMS | Thermostop |
| MI | MOTOR WITH PULLEY | TP | Thermal protector |
| ML | Wash cycle motor | TPS | Drain pump earth |
| MO | Terminal Board | TR | Heating element earth |
| MP | Door dip-switch | TS | Safety thermostat |
| MR | Thermal Lock | TT | Timer earthing connection |
| MT | Timer motor | TTH | Earthing Thermostat |
| MV | Motor fan | TV | Tank earth |
| MV -Ras | Dryer heating element | ZBN | Timer |

# Electric schemes and links

Cod. 28294680010



# Legend

Legend: 28294680010

| | | | |
|---|---|---|---|
| AQS | Aquastop electrovalve | Mzbn/MTA | zbn timer motor |
| B | Buzzer | N | Neutral or Terminal Board |
| BC | Blocco Cesto | NC | Spin cycle exclusion |
| BF | Terminal board contact, motor fan and dryer | P | Pressure switch |
| BP | Buzzer | P1 | 1st level pressure cut-off switch |
| C | Condensator | P2 | 2nd level pressure cut-off switch |
| CA | Condensator | PA | High speed potentiometer |
| DV | Switching device | PB | Low speed potentiometer |
| EF/CL | Electro-Valve Cold Water / Bleach | PL | Pure Wool |
| EF/L | Electro-Valve Cold Water / Wash | PM | Motor Thermoprotector |
| EF/P | Electro-Valve Cold Water / Prewash | PR | Timer programmer or Pressure switch |
| ER | Exclude Heating Element | PS | Drain pump |
| ET | Thermostat disactivation | R | Heating element |
| EV | Electrovalve | RE | Relay |
| EVA | Dryer electrovalve | RR | Heating element |
| EVC | Hot water electrovalve | RV | Speed regulator |
| EVF | Elettrovalvola acqua fredda | Ras/RA | Dryer heating element |
| EVL | Wash electrovalve | S | LED |
| EVP | Pre Wash electrovalve | SL | Line LED |
| FA | Antijamming filter | SO | Door LED |
| FD | Delicate drying cycle thermostat | SR | Heating LED |
| FE | Strong drying cycle thermostat | ST | Temperature selector |
| FRT | Thermofusible Heating Element | SV | Speed Selector for Spin |
| I | Inverter | T | Timer contacts |
| I1..2..3.. | Switches/switching devices | TA | Drying timer contacts |
| IA | Switch On/Off | TB | Low Temperature Thermostat |
| IC | Switch N.C. - 1/2 Load | TC | Spider wheel earth |
| ID | Switch display | TFL | Flange earth |
| IE | Water Saving Device | TG | Main earth |
| IF | Switch - Spin Reduction | TH | Thermostat |
| IP | Door switch | TH1 | 1st temperature thermostat |
| IR | Line switch | TH2 | 2nd temperature thermostat |
| IS | Water-stop | TH3 | 3rd temperature thermostat |

| | | | |
|---|---|---|---|
| L | Line or Lamp | THF | Operating thermostat |
| LB | Low Level | THR | Adjustable thermostat |
| LN | Normal Level | TM | Motor earth |
| LS | Pilot lamp | TMB | Main cabinet earth |
| M | Earth-symbol | TMP | Motor thermal protector |
| MC | Spin cycle motor | TMS | Thermostop |
| MI | MOTOR WITH PULLEY | TP | Thermal protector |
| ML | Wash cycle motor | TPS | Drain pump earth |
| MO | Terminal Board | TR | Heating element earth |
| MP | Door dip-switch | TS | Safety thermostat |
| MR | Thermal Lock | TT | Timer earthing connection |
| MT | Timer motor | TTH | Earthing Thermostat |
| MV | Motor fan | TV | Tank earth |
| MV -Ras | Dryer heating element | ZBN | Timer |