
INDESIT company



Model type:
AQM8D29UEUB

Commercial code:
F062310

# General notes

## Technical Documentation guidelines

---

---

You can find herewith some generic information to simplify cunsulting of technical documentation:

1. Models of same range share the same exploded views, which report the richest set of spare parts:generally, a model does not necessarly have a related spare part for each particular shown on exploded views.

2. Some spare parts can not be represented directly on the exploded views (instruction booklets, specific kit, etc...). You can find those codes in the spare parts list with the same reference of particular where spares are installed or with references 099, 999. Instruction booklets, once managed, appear with 000 reference.

3. On the higher right site of each exploded view there is a serial number which indicates the beginning of the production of certain range:some models might have more than an exploded view for a given category, each distinguished by a different serial no.and linked to another spare parts list, In this case, serial no. is required to supply the right spare part code. Exploded view to be considered is the one with a more recent serial no. but previous than the one of the model that needs assistance.

4.Exploded views might require further updates even after publishing. Addition of new spares will go on following the already existing numeration references. Revision number of an exploded view is shown into last four digits of serial number into upper right hand corner.

5.The spare parts list associated to an exploded view shows related codes of spares managed for a certain model; for each spare part other informations are available:

REF: reference no of spare into a table; SUBSTITUTE: list of spare(s) which can replace a code but that keeps same functional characteristics


INDUSTRIAL CODE: list of variables of a model (shown into model label) where such spare is used; NOTICE: code of information(s) to refer to complete technical intervention, track for changes or to find correct spare part code.

6. Some notices, into a same section are generic therefore cannot be directly linked to a spare part. In order to assist a model in the best way as possible, it is helpful to pay attention to all notices and constantly verify documentation updates

7.Technical documentation cover shows model name and its commercial codes

1180410D


Exploded views



1180410D Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 001 | C00087921 | | | | screw amsp m3.5x30t.e.(s/n | | |
| 002 | C00255435 | | | | blower fan for motor wd vpl | | |
| 003 | C00032972 | | | | blower fixing nut | | |
| 004 | C00255437 | | | | blower manifold seal vpl | | |
| 005 | C00265612 | | | | dryer heating element 230v | | |
| 006 | C00290251 | | | | thermistor ntc epcos wd | | |
| 007 | C00255434 | | 31005... | | o-ring d= 8.75 wd vpl | | |
| 007 | C00302906 | 31006... | | | o-ring d= 8.75 wd vpl | | |
| 008 | C00255718 | | | | hose clamp | | |
| 009 | C00032845 | | | | restrictor seat | | |
| 010 | C00080960 | | 00221... | | self blocking nut m5 | n4211c00 | |
| 011 | C00097378 | | 00221... | | connection gasket | n4211c00 | |
| 012 | C00259997 | | 00221... | | bolt m5x55 te inox430 x wd vpl | n4211c00 | |
| 013 | C00143949 | | 00221... | | lint filter | n4211c00 | |
| 013 | C00280633 | 00222... | | | steam filter new | n4211c00 | |
| 014 | C00080774 | | | | hose clamp | | |
| 015 | C00255440 | 00222... | | | steam condenser vpl | n4211c00 | |
| 015 | C00280826 | | 00221... | | steam condenser vpl | n4211c00 | |
| 016 | C00080769 | | | | hose electrovalve condenser | | |
| 017 | C00255433 | | 01211... | | seal - condenser / tank vpl | | |
| 017 | C00284582 | 01212... | | | seal - condenser / tank vpl | | |
| 018 | C00268334 | | | 4 x C00289755<br>1 x C00289765<br>1 x C00289768<br>1 x C00290385<br>1 x C00290386 | blower manifold kit vpl 62 lt | | |
| 018 | C00286406 | | | | screw plast 9.5x25 tc-t30 | | |
| 019 | C00054790 | | | | screw trilob m5 x 16 tcb t.e. st | | |
| 021 | C00087920 | | | 1 x C00098711 | motor dryer 230v 50hz s/n | | |
| 023 | C00255439 | | 00221... | | spacer condenser | n4211c00 | |
| 099 | C00115565 | | | | screw m8x30 t30 | | |

1290170 Exploded views




1290170 Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 000 | C00288587 | | | | adhesive eco tech | | |
| 001 | C00272624 | | | | cover-plate new aqualtis | | |
| 002 | C00274799 | | | 1 x C00283407 | display assy aq.2008 wm/wd lcd | | |
| 003 | C00145764 | | | | terminal connector 5-way aqx-et- | | |
| 004 | C00274252 | | | 1 x C00286109 | components knob pw lcd new aq | | |
| 005 | C00288362 | | | | screw spiralform m5x16,5 tcb 6l- | | |
| 006 | C00275289 | | | 1 x C00274567 | door frame assy new | | |
| 017 | C00272625 | | | | plinth white aqualtis 2008 | | |
| 018 | C00087084 | | | | foot | | |
| 019 | C00083828 | | | | foot spring (11x8.5mm) | | |
| 020 | C00119082 | | | | cabinet white pw 62 l aris.aqualtis | | |
| 021 | C00064550 | | | | drain hose holder | | |
| 021 | C00064755 | | | | drain hose collar | | |
| 022 | C00065185 | | | | bolt m4,5 x 8 | | |
| 022 | C00065871 | | | | blanking plug | | |
| 022 | C00084817 | | | | blanking plate-rear(test plug) | | |
| 023 | C00119214 | | | | drawer handle | | |
| 023 | C00274950 | | | | adhesive aq2008 en lcd sw sm bt | | |
| 023 | C00275420 | | | | adhesive aq2008 bu lcd (sw sm bt | | |
| 024 | C00116923 | | | | rear cover - white pw | | |
| 025 | C00091904 | | | | cable clamp hose | | |
| 026 | C00264598 | | | | worktop - white pw aqualtis | | |
| 027 | C00095741 | | | | kit lock pachaging tub l=130 evo2 | | |
| 027 | C00145769 | | | | transit bolt | | |
| 028 | C00046667 | | | | wiring stop | | |
| 028 | C00141387 | | | | cable clamp hose | | |
| 029 | C00094018 | | | | insulation pad (front panel) | | |
| 029 | C00143376 | | | | unsound kit new eco silent | | |
| 029 | C00194044 | | | | insulation pad (side panel) | | |

1290220 Exploded views

Matr. 80122.0001





1290220

1290220 Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 001 | C00194611 | | | | screw.pl28 9.5x50 tmtfr t40 | n4011c00 | |
| 001 | C00194612 | | | | screw larger diameter 11.3x50 kit | n4011c00 | |
| 003 | C00255400 | | | | upper counterweight vpl 9 kg wdl | | |
| 004 | C00141682 | | | | anchorage pad - suspension | | |
| 005 | C00119118 | | | | suspension spring | | |
| 006 | C00262726 | | | | tank plastic 62l h=20 wd aq | n4014c02 | |
| 007 | C00119209 | | | | bellows clamp (tank front) | | |
| 008 | C00274571 | | | | door bellows seal new aq no lamp | | |
| 009 | C00119210 | | | | clamping ring - bellows seal front | | |
| 010 | C00272446 | | | | front counterweight 11.5kg | | |
| 011 | C00092172 | | | | ball oko evo ii | | |
| 013 | C00274662 | | | | outlet hose | | |
| 014 | C00092411 | | | 1 x C00094908 | hose clamp | | |
| 016 | C00094908 | | | | hose clamp | | |
| 020 | C00280757 | | | | plastic expansion peg new | | |
| 021 | C00271652 | | | | nut romob m6x20x1,5 | | |
| 022 | C00119111 | | | 1 x C00262816 | shock absorber right aq 100 n | | |
| 023 | C00262727 | | | | hose dispenser to tank vp-wd | | |
| 024 | C00199343 | | | | drum pulley d=280 mm h=20 mm | | |
| 025 | C00051739 | | | 1 x C00064786<br>1 x C00143260 | m8 x 20 tefl. 10.9 screw | | |
| 026 | C00119126 | | | | belt 1201 - 1198 j6 | | |
| 027 | C00119117 | | | | suspension spring - tank | | |
| 028 | C00064789 | | | 1 x C00268109 | lifter - extractable | | |

1290310 Exploded views



1290310 Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 001 | C00092348 | | | | self-scraping screw 3,5x8 | | |
| 002 | C00270937 | | | | power cord1.5m shuko 3x1 | | |
| 003 | C00019902 | | | | plastic -u- to make drain hose | | |
| 004 | C00142206 | | | | drain hose to sink 2,14 m | | |
| 005 | C00119216 | | | | hopper cover 62lt | | |
| 007 | C00272450 | | 30202... | | linear pressure switch | | |
| 007 | C00289362 | 30203... | | | linear pressure switch 2,5 | | |
| 008 | C00092412 | | | | hose clamp | | |
| 009 | C00144077 | | | | pipe pressostat l= 540mm. evo ii | | |
| 013 | C00094744 | | | | screw locking motor/tub | | |
| 014 | C00196979 | | | | motor three phase ceset (stator 50) | | |
| 015 | C00092264 | | | | self cleaning drain pump (hl) | | |
| 016 | C00045023 | | | | filter handle | | |
| 016 | C00045025 | | | | filter seal | | |
| 016 | C00141034 | | | | filter element kit | | |
| 016 | C00297161 | | | | filter element kit copreci | | |
| 018 | C00274492 | | | | module triphase arcadia st.by | | |
| 021 | C00255452 | | | | heater wash 1700/230 vpl wd | | |
| 022 | C00083915 | | | | thermistor ntc | | |
| 023 | C00119215 | | | | dispenser body | | |
| 025 | C00119219 | | | | detergent drawer | | |
| 026 | C00119247 | | | | additive cover | | |
| 027 | C00119249 | | | | additive container | | |
| 028 | C00119250 | | | | stopper detergent container | | |
| 029 | C00119221 | | | | door opening rod yellow | | |
| 030 | C00065185 | | | | bolt m4,5 x 8 | | |
| 030 | C00264161 | | | 1 x C00299278 | thermal lock | | |
| 031 | C00003070 | | | | mains inlet hose cold 25c 10bar | | |
| 032 | C00110331 | | | | inlet valve - triple inline | | |
| 033 | C00064534 | | | | seal - dispenser to valve | | |
| 034 | C00005572 | | | | sealing washer-mains inlet hose | | |
| 035 | C00005781 | | | | inlet hose filter | | |
| 036 | C00064946 | | | | electrovalve support 1 ev | | |
| 038 | C00143513 | | | | slide opening spring (sn | | |
| 040 | C00196180 | | | | wiring pressure switch-sensor- | | |

1290310 Spare parts list

| Ref. | Code | From | To S/N | Substitute | Description | Notice | Industrial |
|---|---|---|---|---|---|---|---|
| 040 | C00271408 | | | | wiring heating element-filter | | |
| 040 | C00271419 | | | | wiring wash motor-module j9 | | |
| 040 | C00272608 | | | | wiring evp evl ntc (module j012) | | |
| 040 | C00272716 | | | | wiring comunic. display | | |
| 040 | C00272719 | | | | wiring door lock+drain pump | | |
| 040 | C00274675 | | | | harness valves eva+ntc (drying) | | |
| 040 | C00274680 | | | | wiring dryer heater-motorfan | | |
| 040 | C00274682 | | | | wiring earth | | |
| 041 | C00254409 | | | | protecting module (mylar) (hl) | | |
| 042 | C00275418 | | | | card aqm8d29ueub 32kb sw | | |
| 043 | C00272306 | | | | smart reader for card 8kb 32kb + | | |

# Notices

## n4011c00: Counterweight screws

---

Use code C00194612 (screw with larger diameter) in case of fixing counterweight on the original plastic tub of the machine

Use code C00194611 in case of fixing counterweight on a new plastic tub used as spare part

NOTE:
When /if replacing the Plastic outer drum assembly ensure the correct counterweight screws are used.

## n4014c02: TUB ASSEMBLIES WITHOUT HEATING ELEMENT

---

Starting from week 10/2014 all tub assemblies involved in this technical notice will be provided without heating element.
The tub assemblies will not have the heating element clip (already removed in production starting from the end of 2012); the mechanical assembly of the heating element to the tub will be absolutely unchanged.
We suggest, when possible, to keep the heating element assembled in the assisted tub.


## n4211c00: INTRODUCED NEW LINTER FILTER

---

When the pre-modification items are no longer available, all new parts will have to be ordered and replaced.
When replacing the original “Steam Condenser”
It may also be necessary to fit a new “Restrictor Seat” if the original cannot be re-used.

Electric schemes and links

Cod. 240001297



# Legend

Legend: 240001297

| | | | |
|---|---|---|---|
| AQS | Aquastop electrovalve | Mzbn/MTA | zbn timer motor |
| B | Buzzer | N | Neutral or Terminal Board |
| BC | Blocco Cesto | NC | Spin cycle exclusion |
| BF | Terminal board contact, motor fan and dryer | P | Pressure switch |
| BP | Buzzer | P1 | 1st level pressure cut-off switch |
| C | Condensator | P2 | 2nd level pressure cut-off switch |
| CA | Condensator | PA | High speed potentiometer |
| DV | Switching device | PB | Low speed potentiometer |
| EF/CL | Electro-Valve Cold Water / Bleach | PL | Pure Wool |
| EF/L | Electro-Valve Cold Water / Wash | PM | Motor Thermoprotector |
| EF/P | Electro-Valve Cold Water / Prewash | PR | Timer programmer or Pressure switch |
| ER | Exclude Heating Element | PS | Drain pump |
| ET | Thermostat disactivation | R | Heating element |
| EV | Electrovalve | RE | Relay |
| EVA | Dryer electrovalve | RR | Heating element |
| EVC | Hot water electrovalve | RV | Speed regulator |
| EVF | Elettrovalvola acqua fredda | Ras/RA | Dryer heating element |
| EVL | Wash electrovalve | S | LED |
| EVP | Pre Wash electrovalve | SL | Line LED |
| FA | Antijamming filter | SO | Door LED |
| FD | Delicate drying cycle thermostat | SR | Heating LED |
| FE | Strong drying cycle thermostat | ST | Temperature selector |
| FRT | Thermofusible Heating Element | SV | Speed Selector for Spin |
| I | Inverter | T | Timer contacts |
| I1..2..3.. | Switches/switching devices | TA | Drying timer contacts |
| IA | Switch On/Off | TB | Low Temperature Thermostat |
| IC | Switch N.C. - 1/2 Load | TC | Spider wheel earth |
| ID | Switch display | TFL | Flange earth |
| IE | Water Saving Device | TG | Main earth |
| IF | Switch - Spin Reduction | TH | Thermostat |
| IP | Door switch | TH1 | 1st temperature thermostat |
| IR | Line switch | TH2 | 2nd temperature thermostat |
| IS | Water-stop | TH3 | 3rd temperature thermostat |

| | | | |
|---|---|---|---|
| L | Line or Lamp | THF | Operating thermostat |
| LB | Low Level | THR | Adjustable thermostat |
| LN | Normal Level | TM | Motor earth |
| LS | Pilot lamp | TMB | Main cabinet earth |
| M | Earth-symbol | TMP | Motor thermal protector |
| MC | Spin cycle motor | TMS | Thermostop |
| MI | MOTOR WITH PULLEY | TP | Thermal protector |
| ML | Wash cycle motor | TPS | Drain pump earth |
| MO | Terminal Board | TR | Heating element earth |
| MP | Door dip-switch | TS | Safety thermostat |
| MR | Thermal Lock | TT | Timer earthing connection |
| MT | Timer motor | TTH | Earthing Thermostat |
| MV | Motor fan | TV | Tank earth |
| MV -Ras | Dryer heating element | ZBN | Timer |