
INDESIT company



Model type:
IDCA735FR

Commercial code:
F062954

General notes

Technical Documentation guidelines

You can find herewith some generic information to simplify cunsulting of technical documentation:

1. Models of same range share the same exploded views, which report the richest set of spare parts:generally, a model does not necessarly have a related spare part for each particular shown on exploded views.

2. Some spare parts can not be represented directly on the exploded views (instruction booklets, specific kit, etc...). You can find those codes in the spare parts list with the same reference of particular where spares are installed or with references 099, 999. Instruction booklets, once managed, appear with 000 reference.

3. On the higher right site of each exploded view there is a serial number which indicates the beginning of the production of certain range:some models might have more than an exploded view for a given category, each distinguished by a different serial no.and linked to another spare parts list, In this case, serial no. is required to supply the right spare part code. Exploded view to be considered is the one with a more recent serial no. but previous than the one of the model that needs assistance.

4.Exploded views might require further updates even after publishing. Addition of new spares will go on following the already existing numeration references. Revision number of an exploded view is shown into last four digits of serial number into upper right hand corner.

5.The spare parts list associated to an exploded view shows related codes of spares managed for a certain model; for each spare part other informations are available:


REF: reference no of spare into a table; SUBSTITUTE: list of spare(s) which can replace a code but that keeps same functional characteristics

INDUSTRIAL CODE: list of variables of a model (shown into model label) where such spare is used; NOTICE: code of information(s) to refer to complete technical intervention, track for changes or to find correct spare part code.

6. Some notices, into a same section are generic therefore cannot be directly linked to a spare part. In order to assist a model in the best way as possible, it is helpful to pay attention to all notices and constantly verify documentation updates

7.Technical documentation cover shows model name and its commercial codes

07337-20 Exploded views



07337-20 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
501	C00268483			1 x C00287059	drum assy galv. fixed shaft	n4411j00	
501	C00287059				drum (pattern) galv assy	n4411j00	
502	C00113860				seal base rear panel		
502	C00258981			1 x C00298727	rear panel		
503	C00142628				drum rear bearing teardrop		
503	C00250889				screw		
504	C00142631				drum shaft collar		
505	C00209008			1 x C00095551	drive pin		
507	C00118929			1 x C00289203	brg cover plastic		
508	C00095999				mains cable and plug		
509	C00095556				cable clamp/grommet		
509	C00250833				no7 hilo pozi screw		
510	C00145648				rear seal 17mm		
511	C00115747				heater cover		
515	C00113865				pipe pump to water container		
515	C00114676				pipe support		
516	C00113866				drain pipe 645mm		
521	C00116598				thermostat kit (one shot+cycling)		
522	C00260045		91122...		heater (one shot+cycling+ntc tod)	n4410j02	95629540000
522	C00277072	91123...	21011...		heater a2 (one shot+cycling+ntc	n4410j02 n4412i02	95629540000
522	C00294624	21012...			heater arcadia 2.3kw (+stats &	n4412i02	95629540000 95629540100 95629544400
526	C00208347				clamp d.19		
527	C00226347				recirculating fan kit		
541	C00113038				drum shaft kit (screwed shaft	n4414g00	
541	C00115748				drum shaft		
541	C00305794				drum shaft kit (riveted drum plate)	n4414g00	
544	C00122256				screw 6 x 3/8		
544	C00271293				mains con and suppre kit		
545	C00141607			1 x C00286905	drum lifter short		
545	C00250835				screw 5 x 23		
546	C00141607			1 x C00286905	drum lifter short		
546	C00250835				screw 5 x 23		


07337-20 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
547	C00254986			1 x C00287188	water container support grey		
548	C00193521				water container		
549	C00113897				water cont inlet		
550	C00255835		91122...	1 x C00269466	module power a1+ eeprom dryers'	n4410j02	95629540000
550	C00269466		91122...		module a1 sw4.05.05 (for card)	n4410j02	95629540000
550	C00277031	91123...	21011...	1 x C00280422	module a2 sw4.05.08	n4410d00 n4410j02	95629540000
550	C00292963	21012...		1 x C00303312	module arcadia dryer	n4412i02	95629540000 95629540100 95629544400
551	C00274566		91101...		smartcard idca735fr 8kb		95629540000
551	C00279473	91102...	21011...		smartcard idca735fr 8kb	n4410d00	95629540000
551	C00295395	21012...			card idca735fr 8kb 50629540031		95629540000 95629540100 95629544400
553	C00113898				container adaptor		
555	C00255284				bearing pad grooved	n4409i01 n4414a03	
556	C00116358			1 x C00300793	belt (1991mm fitted)	n4413j00	
557	C00113902				side strut angled right		
558	C00143511		21011...		thermostat ntc (tod)	n4412i02	95629540000
558	C00292949	21012...			thermostat ntc rear arcadia	n4412i02	95629540000 95629540100 95629544400
599	C00199418				harness con/power bd		
599	C00254354	00612...	21011...		harness (j10)	n4412i02	95629540000
599	C00254356		21011...		harness front ntc	n4412i02	95629540000
599	C00254401		21011...		harness pump & float switch	n4412i02	95629540000
599	C00264077			1 x C00279523	cable sensing strip		
599	C00264094		00611...		harness door switch	n4412i02	95629540000
599	C00294278	21012...			harness float switch	n4412i02	95629540000 95629540100 95629544400
599	C00294323	21012...			harness arcadia pump motor &	n4412i02	95629540000 95629540100

07337-20 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
599	C00294398	21012...			harness l&n dryer condenser	n4412i02	95629540000 95629540100 95629544400
599	C00294623	21012...			harness ntc/door switch arcadia	n4412i02	95629540000 95629540100 95629544400
999	C00115270			1 x C00296170	shoe drying rack		
999	C00295636				service manual		


07486-05 Exploded views



07486-05 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
101	C00250852				no8 x 1pan head		
101	C00274564				console panel idca735fr		
103	C00271172				programme knob		
125	C00095621			1 x C00250894	screw 8x1/2		
125	C00114683				white top		
152	C00306484				on-off button white		
153	C00270601				support display module ecotime		
156	C00306486				button option white		
157	C00271634		91101...	1 x C00276318	electronic card (td)		95629540000
157	C00276318	91102...	21011...		electronic card (td) stand - by	n4412i02	95629540000
157	C00294628	21012...	40410...	1 x C00300591	control display eco led	n4412i02	95629540000
						n4414a05	95629540100
							95629544400
157	C00300591	40410...			control display memo led	n4414a05	
166	C00274377				drawer handlei idca735fr		


07486-25 Exploded views



07486-25 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
600	C00258610			1 x C00287037	base grey		
600	C00271612				screw 14mm cond base		
611	C00258878				float switch n/o		
614	C00208347				clamp d.19		
614	C00272335				impeller cooling (td) 72mm		
617	C00113878			1 x C00288190	impeller cover grey		
621	C00255970			1 x C00194453	capacitor 8uf		
621	C00258619				capacitor 8.5 uf.		
623	C00113879				jockey wheel and bracket		
625	C00194686			1 x C00306348	motor type 351 (3 wires) 8uf cap	n4414a09	95629540000 95629544400
625	C00270657				screw m5x20		
625	C00292951	21012...	30710...		motor 364 cond 8uf cap (harness)	n4414a09	95629540000 95629540100 95629544400
626	C00116358			1 x C00300793	belt (1991mm fitted)	n4413j00	
632	C00195866				float		
633	C00259700				float pin 75mm		
634	C00193127			1 x C00306876	pump		
635	C00193187			1 x C00288932	pump and float cover		
636	C00113889				serial port cover		
637	C00113890			1 x C00287179	condenser		
638	C00113903				condensor front cover seal (black		

12721-15 Exploded views



12721-15 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
301	C00271054			1 x C00114678	door/liner assy fmd white indesit		
301	C00271304				logo indesit		
303	C00095514			1 x C00119841	door latch emz		
				1 x C00119844			
304	C00119843				dr latch blank		
306	C00113847				door plastic probe		
307	C00113848				fluff filter blue condenser		
310	C00114679			1 x C00141599	plinth		
311	C00095621			1 x C00250894	screw 8x1/2		
311	C00250713			1 x C00194446	screw 8x.5 p/pan		
311	C00254950				front panel white		
312	C00095523			1 x C00257618	door catch		
312	C00250713			1 x C00194446	screw 8x.5 p/pan		
315	C00114680				door hinge upper		
315	C00250851			1 x C00266178	m3.5 x 12 pozi pan		
316	C00114681				door lower hinge		
316	C00250851			1 x C00266178	m3.5 x 12 pozi pan		
317	C00119847				dr catch blank		
318	C00255987			1 x C00286300	door seal grey	n4411g00	
318	C00286326			1 x C00286300	door seal white	n4411g00	
323	C00113854				microswitch & lever		
330	C00113855			1 x C00286696	front air duct grey c condenser	n4411g07	
330	C00141612				sensor strip		
330	C00250713			1 x C00194446	screw 8x.5 p/pan		
330	C00286696				front air duct white c condenser	n4411g07	
335	C00142702		21011...		thermostat front	n4412i02	95629540000
335	C00291937	21012...			thermistor front arcadia td	n4412i02	95629540000
							95629540100
							95629544400
337	C00142613				drum front seal 14mm		
340	C00113856				side panel fmd white		
347	C00113858				latch plinth cover		
347	C00115798				plinth cover catch		
349	C00142773			1 x C00286912	front air duct to base seal		
350	C00255284				bearing pad grooved	n4409i01	

Notices

n4409a00: DRUM SHAFT

Two Drums have been used in production.

Inspect the machine to see which type of drum shaft fixing is fitted.

1 has a drum shaft which is screwed and the shaft only can be replaced if required.

1 has a drum shaft which is fixed and the shaft can not be replaced, if damaged the complete drum assembly will be required.

n4409i01: Bearing Pad Grooved

'C' Energy Condenser Tumble Dryers.
From serial number 90817.0001 the quantity of bearing pads C00255284 fitted on production was reduced fro 5 to 4.
'B' Energy Condenser Tumble Dryers are not effected and will continue to use 5 bearing pads

n4409k01: Introduction of Interface Module with Stand–By

From serial number 91102.0001 a new interface module with ‘Stand-By’ was introduced on production and is fitted to all electronic tumble dryers. The "Stand-By" mode is activated after the machine has finished the programme. This module can be used as a direct replacement for the version without Stand-By.

n4410d00: Settings file for ‘Stand-By’

With the introduction of Stand – By from 2/11/09 (091102.0001) Indesit FMD & some Aqualtis models were given a new settings file to rev. 01*. This will have an affect when replacing the electronic interface card and control module.

Service replacement of the electronic interface card will be of the Stand – By version
When replacing a control module or electronic interface card to a model manufactured before 091102.0001 use settings file rev.00.* Stand – By is not affective.

When replacing a control module or electronic interface card to a model manufactured from 091102.0001 uses settings file rev.01.* Stand – By is affective.

Two versions of control module are used on this product identified as A1 & A2, all models produced with the A2 module are fitted with the Stand – By version of electronic interface card and settings file Re. 01*

*Model AQCF851BUFR - 61408 settings file changes from rev.01. to 02.

See notice n4409k02 for further information on control the module

n4410j02: A2 MODULE and HEATER Introduction

A2 MODULE / DELTA HEATER INTRODUCTION
During week commencing 23/11/2009 Serial No.91123.0001 a new A2 power module and heater assembly was introduce in production. This change was gradually introduced starting from the above date with full production due by week commencing 2/01/2010 Serial No.100102.0001. During this period production may vary from the original build to the A2 build depending on availability of A2 components, so to enable easy identification for models produced with the A2 power module and heater assembly, there will be a circular BLUE label (see Attached image) attached to the rear of the machine near the appliance rating plate. The label will be discontinued when full production of A2 module and heater is achieved on 02/01/20010.

MACHINES WITH A SERIAL NUMBER BETWEEN 91123.0000 and 91231.0000
No Blue Dot A1 Module and Heater
Blue Dot A2 Module and Heater

n4411g00: CONDENSER DRYER DOOR SEALS

ON SELECTED TUMBLE DRYERS FROM JUNE 2011 THE DOOR SEAL COLOUR CHANGED FROM GREY TO WHITE. SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST

n4411g07: CONDENSER FRONT AIR DUCT COLOUR CHANGE

FROM JUNE 2011 THE FRONT AIR DUCT FITTED TO CONDENSER TUMBLE DRYERS CHANGED IN PRODUCTION FROM GREY TO WHITE.

SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST

n4411j00: PATTERN DRUM INTRODUCED

FROM OCTOBER 2011 A PATTERN DRUM HAS BEEN USED IN PRODUCTION.
THE PATTERN DRUM IS INTERCHANGABLE WITH THE PREVIOUS PLAIN DRUM.
ONCE STOCKS OF THE PLAIN DRUM ARE EXHAUSTED.
THE PATTERN DRUM WILL BE THE SERVICE SPARE.

NOTE
TWO PLAIN DRUMS WERE USED IN PRODUCTION.
THE DRUM SHAFT CAN ONLY BE REPLACED IF THE ORIGINAL DRUM TO SHAFT FIXING IS SCREWED. IF THE DRUM SHAFT IS RIVETED TO THE DRUM, THE COMPLETE DRUM HAS TO BE REPLACED.

n4412i02: INTRODUCTION OF ARCADIA ELECTRONICS

STARTING FROM SEPTEMBER 2012 THE ARCADIA MODULE AND ASSOCIATED PARTS HAVE BEEN USED IN PRODUCTION.

PLEASE SELECT PARTS ACCORDING TO THE SERIAL NUMBER OF THE MACHINE

n4414a05: INTRODUCTION OF IRON ZONE MODULE

A NEW IRON ZONE ARCADIA DISPLAY MODULE IS BEING USED IN PRODUCTION.

"VIEW LIST" TO SELECT CORRECT PART

n4414a09: ARCADIA INTODUCTION/MOTORS

STARTING FROM SEPTEMBER 2012 THE ARCADIA MODULE AND ASSOCIATED PARTS HAVE BEEN USED IN PRODUCTION.

MOTORS
FROM JULY 2013 THE MOTOR USED IN PRODUCTION WAS CHANGED BACK TO THE MOTOR USED BEFORE THE ARCADIA INTRODUCTION.

364 MOTOR (CONNECTS TO A CONNECTOR BLOCK) ARCADIA INTRODUCTION TO JULY 2013

351 MOTOR (CONNECTS WITH 3 SEPARATE WIRES AND TAGS) USED BEFORE ARCADIA INTROUCTION AND AFTER JULY 2013.

IF MORE THAN 1 MOTOR IS LISTED BEFORE THE ARCADIA INTRODUCTION FOLLOW THE SERIAL NUMBER TO SELECT THE CORRECT MOTOR REQUIRED.

n4414g00: DRUM SHAFT REPAIR KITS

THERE ARE 2 TUMBLE DRYER DRUM SHAFT KITS.

C00113038 DRUMS WHERE THE DRUM SHAFT IS SCREWED
C00305794 DRUMS WHERE THE DRUM SHAFT IS RIVETTED.
THE CORRECT KIT MUST ALWAYS BE FITTED.
BOTH KITS CONSIST OF THE DRUM SHAFT/SUPPORT, DRIVE PIN FIXING SCREWS and REAR BEARING.
STARTING FROM JUNE 2014 THE DRUM SEALS WHICH WERE INCLUDED IN KIT C00113038 HAVE BEEN REMOVED.

n4413j00: BREAKING BELTS

To overcome the issue of breaking belts the 6 Rib belt has been replaced by the 8 rib belt C00300793

n4414a03: BEARING PADS REDUCED


FROM JUNE 2013 THE NUMBER OF BEARING PADS FITTED IN PRODUCTION WAS REDUCED FROM 5 to 4.
FROM THIS DATE THE LEFT HAND BEARING PAD (WHEN VIEWED FROM THE FRONT) IS NO LONGER FITTED

Electric schemes and links

Cod. 5407583

Indesit Company

INDESIT TUMBLE DRYER - LED FAULT CODES



A fault is indicated by the Start/Pause and Option LEDs flashing - plus one or more of the Fault Code LEDS illuminated (but not flashing) together.

Note: The first 15 minutes of all automatic cycles is used to calculate the estimated drying time.

FAULT CODE TABLE

FAULT	CAUSE	STATUS OF LEDs - LED COMBINATION				
		5	4	3	2	1
F01	Motor triac in short circuit or Relay of motor welded closed	OFF	OFF	OFF	OFF	ON
F02	Blocked motor (fan blocked).	OFF	OFF	OFF	ON	OFF
F03	Front NTC open or short circuit	OFF	OFF	OFF	ON	ON
F04	Pump working when should be off.	OFF	OFF	ON	OFF	OFF
F05	Pump not working when should be on.	OFF	OFF	ON	OFF	ON
F06	Non used, active	OFF	OFF	ON	ON	OFF
F07	Lower element failure	OFF	OFF	ON	ON	ON
F08	Static heater relay welded closed	OFF	ON	OFF	OFF	OFF
F09	Error set-up file. EEPROM is not programmed or not functioning	OFF	ON	OFF	OFF	ON
F10	Common of heater open, one shot open	OFF	ON	OFF	ON	OFF
F11	Pump open circuit.	OFF	ON	OFF	ON	ON
F12	No communication between display board and control board	OFF	ON	ON	OFF	OFF
F13	Rear NTC open or short circuit.	OFF	ON	ON	OFF	ON
F14	Upper element failure	OFF	ON	ON	ON	OFF
F15	Dynamic (PD) heater relay welded closed	OFF	ON	ON	ON	ON
F16	Not used, active	ON	OFF	OFF	OFF	OFF
F17	Master relay welded closed	ON	OFF	OFF	OFF	ON

For additional Fault Code information see next page.

Indesit Company

DIAGNOSTIC NOTES - LED CONSOLE TUMBLE DRYERS

Float Switch Operation

The Tumble Dryer will continue to tumble and heat for 1 minute, and then tumble with no heat for a further 10 minutes. Therefore after float switch operation no warnings will display for upto 12 minutes.

ONE SHOT Thermostat Operation

Before Serial number 70802.0000, the relevant fault code will display.

A1 Module Versions:

Between serial numbers 70802.0001 and 91123.0000 (A1) the Tumble Dryer will "shut down", all LEDS and display are OFF.

A2 Module Versions:

From Serial number 00101.0000 (A2) the heater will turn off, but the programme will continue with normal drum operation, the Tumble Dryer will not dry.

Between Serial Numbers 91123.0001 and 91231.9999 :


- If Tumble Dryer has no blue dot on rear panel see A1 above
- If Tumble Dryer has a blue dot on rear panel see A2 above.

Legend

Legend: 5407583

Electric schemes and links

Cod. 5407584




Legend

Legend: 5407584

Electric schemes and links

Cod. 5407602

WIRING DIAGRAM - Models fitted with A2 type Module & Heater BEFORE Serial No. 00612.0000




Legend

Legend: 5407602

Electric schemes and links

Cod. 5407604

WIRING DIAGRAM - Models fitted with A1 type Module & Heater




Legend

Legend: 5407604

Electric schemes and links

Cod. 5407811




Legend

Legend: 5407811

Electric schemes and links

Cod. 5407812



Legend

Legend: 5407812