
INDESIT company



Model type:
IDVA735EU

Commercial code:
F062977

General notes

Technical Documentation guidelines

You can find herewith some generic information to simplify cunsulting of technical documentation:

1. Models of same range share the same exploded views, which report the richest set of spare parts:generally, a model does not necessarly have a related spare part for each particular shown on exploded views.

2. Some spare parts can not be represented directly on the exploded views (instruction booklets, specific kit, etc...). You can find those codes in the spare parts list with the same reference of particular where spares are installed or with references 099, 999. Instruction booklets, once managed, appear with 000 reference.

3. On the higher right site of each exploded view there is a serial number which indicates the beginning of the production of certain range:some models might have more than an exploded view for a given category, each distinguished by a different serial no.and linked to another spare parts list, In this case, serial no. is required to supply the right spare part code. Exploded view to be considered is the one with a more recent serial no. but previous than the one of the model that needs assistance.

4.Exploded views might require further updates even after publishing. Addition of new spares will go on following the already existing numeration references. Revision number of an exploded view is shown into last four digits of serial number into upper right hand corner.

5.The spare parts list associated to an exploded view shows related codes of spares managed for a certain model; for each spare part other informations are available:


REF: reference no of spare into a table; SUBSTITUTE: list of spare(s) which can replace a code but that keeps same functional characteristics

INDUSTRIAL CODE: list of variables of a model (shown into model label) where such spare is used; NOTICE: code of information(s) to refer to complete technical intervention, track for changes or to find correct spare part code.

6. Some notices, into a same section are generic therefore cannot be directly linked to a spare part. In order to assist a model in the best way as possible, it is helpful to pay attention to all notices and constantly verify documentation updates

7.Technical documentation cover shows model name and its commercial codes

07404-20 Exploded views




07404-20 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
401	C00122256				screw 6 x 3/8		
401	C00252668				bracket		
401	C00255221			1 x C00292281	base		
404	C00142439				foot		
404	C00193759				3mm washer		
405	C00143146		00816...	1 x C00282296	motor 358 imep (td)	n4410i00	
405	C00279461	00817...		1 x C00293493	motor 358 vented welling (use	n4410i00	
408	C00194453		00816...		capacitor 8 uf	n4410i00	
408	C00279463	00817...			capacitor 9uf	n4410i00	
409	C00112153				impeller-inner		
410	C00116327				fan-outer		
413	C00115748				drum shaft		
420	C00145648				rear seal 17mm		
421	C00145707				stretch belt h9 1860mm (td)		
422	C00115748				drum shaft		
422	C00268377				drum vent td galv 0.5mm		
423	C00112158			1 x C00141696	rear panel vented	n4412b00	
423	C00250894				screw 8x1/2 pan head		
423	C00298617				drum stop	n4414a00	
424	C00142628				drum rear bearing teardrop		
424	C00250889				screw		
425	C00142631				drum shaft collar		
426	C00095551				drive pin		
429	C00141697			1 x C00288486	vent hose adaptor		
430	C00257622		91122...		heater(one shot+cycling+ntc tod)	n4410j02	
430	C00277074	91123...			heater a2 2.2kw	n4410j02	
432	C00112196	40501...			thermostat (one shot+cycling) dbk	n4408a01	
432	C00262243	70802...			thermostat (one shot+cycling)	n4408a01	
442	C00095556				cable clamp/grommet		
445	C00096000				mains cable and euro plug		
448	C00122256				screw 6 x 3/8		
448	C00271293				mains con and suppre kit		
450	C00112184				side panel phd white		
450	C00122256				screw 6 x 3/8		
451	C00116328				heater cover (dbk)		

07404-20 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
452	C00118929			1 x C00289203	brg cover plastic		
463	C00141607			1 x C00286905	drum lifter short	n4412c01	
463	C00250835				screw 5 x 23		
463	C00286905				drum lifter short curved	n4412c01	
465	C00143511				thermostat ntc (tod)		
466	C00255835		91122...	1 x C00269466	module power a1+ eeprom dryers'	n4410j02	
466	C00277031	91123...		1 x C00280422	module a2 sw4.05.08	n4410j02	
471	C00255630			1 x C00113889	serial port cover cover		
491	C00122256				screw 6 x 3/8		
491	C00260451				brace		
497	C00273827				card idva735eu 8kb 28629770000		
499	C00199418				harness con/power bd		
499	C00208227	00612...			harness door switch j10		
499	C00208228				harness module to ntc		
999	C00115270			1 x C00296170	shoe drying rack		
999	C00142716				belt installing tool dryer gda		
999	C00258633				vent hose kit		


07489-05 Exploded views



07489-05 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
101	C00273109				console panel idva735sk		
103	C00271172				programme knob		
125	C00116323				table top		
152	C00271139				on-off button white		
153	C00271314				light guide		
156	C00306486				button option white		
157	C00271634		91101...	1 x C00276318	electronic card (td)		
157	C00276318	91102...			electronic card (td) stand - by		

07489-15 Exploded views



07489-15 Spare parts list

Ref.	Code	From	To S/N	Substitute	Description	Notice	Industrial
201	C00116319				plinth white indesit		
205	C00112209			1 x C00207652	filter grey vented	n4411g04	
205	C00286297				filter vented white	n4411g04	
206	C00142702				thermostat front		
207	C00095624				vent tube		
209	C00142613				drum front seal 14mm		
209	C00276750				seal drum front 16mm vented	n4409k00	
210	C00122256				screw 6 x 3/8		
210	C00142144				front panel white		
210	C00252668				bracket		
212	C00112211				door seal vented grey	n4411g01	
212	C00286379			1 x C00112211	door seal vented white	n4411g01	
213	C00112144				bearing pad		
215	C00141694				door s/w (electronic/relay)		
221	C00268982				door trim - front white		
222	C00116336				door trim - rear		
223	C00112192				door bowl		
224	C00095987			1 x C00075325	hinge door		
225	C00112277				door hinge plate		
233	C00142619				door latch (td)		
257	C00261899	80317...	00106...	1 x C00278295	air duct	n4409k00	
257	C00270532				sensor strip vented		
257	C00278295	70107...		1 x C00288738	air duct grey 14mm seal rib	n4409k00 n4411g06	
257	C00286597				air duct white	n4411g06	

Notices

n4408a01: VENTED TUMBLE DRYER HEATERS

From Serial Number 70802.0001, Two different Heater manufacturers were used in production. These DBK and Blaissi Heaters are totally interchangeable if replaced as an assembly.

But the thermostat kits for these Heaters are not interchangeable.

From Serial number 70802.0001, before a Stat. Kit is replaced the heater fitted to the machine must be identified first.
The cover of the Blaissi heater has 2 raised dome shaped pips, there is also a Blaissi Label inside the heater attached to the inside of the heater cover
The Cover of the DBK Heater has 4 raised dome shaped pips.

DBK heaters and covers are used as service spares, therefore if a heater or cover have previously been replaced further identification is required.

The DBK heater element wire is in a strip.
The Blasi heater element wire is circular.

For the Dryer to work correctly the correct Heater and Stat. Kit must always be fitted.

See “Parts List” to select required part.

n4409a00: DRUM SHAFT

Two Drums have been used in production.

Inspect the machine to see which type of drum shaft fixing is fitted.

1 has a drum shaft which is screwed and the shaft only can be replaced if required.

1 has a drum shaft which is fixed and the shaft can not be replaced, if damaged the complete drum assembly will be required.

n4409k01: Introduction of Interface Module with Stand–By

From serial number 91102.0001 a new interface module with ‘Stand-By’ was introduced on production and is fitted to all electronic tumble dryers. The "Stand-By" mode is activated after the machine has finished the programme. This module can be used as a direct replacement for the version without Stand-By.

n4410d00: Settings file for ‘Stand-By’

With the introduction of Stand – By from 2/11/09 (091102.0001) Indesit FMD & some Aqualtis models were given a new settings file to rev. 01*. This will have an affect when replacing the electronic interface card and control module.

Service replacement of the electronic interface card will be of the Stand – By version
When replacing a control module or electronic interface card to a model manufactured before 091102.0001 use settings file rev.00.* Stand – By is not affective.

When replacing a control module or electronic interface card to a model manufactured from 091102.0001 uses settings file rev.01.* Stand – By is affective.

Two versions of control module are used on this product identified as A1 & A2, all models produced with the A2 module are fitted with the Stand – By version of electronic interface card and settings file Re. 01*

*Model AQCF851BUFR - 61408 settings file changes from rev.01. to 02.

See notice n4409k02 for further information on control the module

n4410i00: Introduction of Welling Type 358 Motor

From 17/08/2010 serial No.00817.0001 production started to use a type 358 motor manufactured by Welling, this motor uses a 9µf capacitor.

The Welling 358 motor can be used as an alternative to the previous 358 type motor manufactured by IMEP but a 9µf capacitor must also be fitted.

CAPACITORS
Ana Imep motors had 7.5uf,(6kg models) 8.0uf (7kg models) or 9uf Capacitirs (7.5kg models), fitted in production.
A 9uf capacitor can be used as the service replacement for all machines fitted with a Ana Imep motor.
Welling 358 motors must only be fitted with a 9uf Capacitor.

BOTH 358 MOTORS ARE INTERCHANGEABLE PROVIDING THE CORRECT CAPACITOR IS FITTED

n4410j02: A2 MODULE and HEATER Introduction

A2 MODULE / DELTA HEATER INTRODUCTION
During week commencing 23/11/2009 Serial No.91123.0001 a new A2 power module and heater assembly was introduce in production. This change was gradually introduced starting from the above date with full production due by week commencing 2/01/2010 Serial No.100102.0001. During this period production may vary from the original build to the A2 build depending on availability of A2 components, so to enable easy identification for models produced with the A2 power module and heater assembly, there will be a circular BLUE label (see Attached image) attached to the rear of the machine near the appliance rating plate. The label will be discontinued when full production of A2 module and heater is achieved on 02/01/20010.

MACHINES WITH A SERIAL NUMBER BETWEEN 91123.0000 and 91231.0000
No Blue Dot A1 Module and Heater
Blue Dot A2 Module and Heater

n4411g01: VENTED DOOR SEALS

ON SELECTED TUMBLE DRYERS FROM JUNE 2011 THE DOOR SEAL COLOUR CHANGED FROM GREY TO WHITE.
SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST

FROM MAY 2014 STOCK OF THE WHITE SEALS HAS BEEN EXHAUSTED SO ONLY GREY NOW AVAILABLE. THE WHITE SEALS HAVE BEEN SUPERSEDED AS THIS IS CONSIDERED A SUITABLE ALTERNATIVE

n4411g04: COLOUR CHANGE TO THE FILTER> VENTED DRYERS

FROM JUNE 2011 THE FLUFF FILTER FITTED TO VENTED TUMBLE DRYERS CHANGED IN PRODUCTION FROM GREY TO WHITE.
SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST

n4411g06: COLOUR CHANGE TO WHITE FRONT AIR DUCT

FROM JUNE 2011 THE FRONT AIR DUCT FITTED TO VENTED TUMBLE DRYERS CHANGED IN PRODUCTION FROM GREY TO WHITE.
SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST

n4412b00: VENTED REAR PANEL

During October and November 2011, No.6 fixing screws were used to secure the worktop.

If the rear panel is replaced on any Vented model made between October and December 2011, (serial numbers 11001.0000 to 11202.9999) 2xNo 8 fixing screws will also be required.
See parts List.

n4412c01: VENTED TUMBLE DRYER DRUM LIFTER

From Sept 2011, a curved drum lifter, has been used in production, the new lifter is fully interchangeable with the original straight drum lifter, once stock of the straight drum lifter is exhausted, the curved drum lifter will become the Service Spare, for all production dates".

n4409k00: FRONT AIR DUCT & AIR DUCT SEAL

FRONT AIR DUCT SEAL
Both 14mm and 16mm Air Duct Seals have been used in production.
14 mm - used Before Serial No. 50501.0000 (May 2005)and After 00115.0001 (Jan 2010)
16 mm - used Between Serial No.s 50501.0001 (May 2005) and 00115.0000 (Jan 2010) - See note below
If replacing only the Seal - select the CORRECT size from the parts list.
AIR DUCT
White Air Ducts were used in production from 10601.0000 (June 2011), the only difference to the Grey Ducts is the colour change.
WHITE AIR DUCTS ONLY will become the only Service Air Duct Once Stock of the Grey Air Ducts is exhausted
If the original air duct is grey, the air duct kit is required which includes a white filter.
NOTE: ALL SERIAL NUMBERS:
If the AIR DUCT is being replaced you will require a 14mm Seal because the service replacement AIR DUCT is 14mm. See parts List

---

n4414a00: BUMP STOP

From the Autumn of 2013 2 Bump Stops were added to the rear panel.